



AHD: AHD 8-channel XVR - 4K Lite HDD 1TB

46XVR.ES08

Safety / ELVOX CCTV / AHD / DVR

AHD 8-channel XVR - 4K Lite HDD 1TB

Hybrid XVR with 8 channels AHD/CVBS compatible with 4 additional IP cameras, professional 1 TB HDD, Pentaplex, H.264 and H.265, CsC function, supports AHD up to 5 Mpx (8MpxLite@8fps, 5Mpx Lite, 4 Mpx Lite, 1080p@12fps, 1080p Lite, 720p, WD1 @25 fps) and IP up to 5 MPx (25 fps), 1 in/1 out audio, RS485 port, 2 USB, BNC output (CVBS or SPOT), VGA and HDMI up to Full HD, RJ45 Ethernet, web interface, CVM, remote control and QR CODE. 12 VDC power supply unit included. Dim. 255×222×42 mm



Product Status

3 - Active

Minimum order quantity

1 NR


Sheets, Manuals, Documentation

- [Integrazione Elvox TVCC nei touch screen \(779 kb\)](#)
- [Elvox CCTV integration in touch screens \(740 kb\)](#)
- [Multilanguage instructions sheet \(1496 kb\)](#)
- [Interfaccia grafica videoregistratori \(25361 kb\)](#)
- [Videorecorder graphical user interface \(25293 kb\)](#)
- [Configurazione analisi video per DVR/NVR \(13835 kb\)](#)
- [DVR/NVR video analysis configuration \(13802 kb\)](#)


Product Software

- [SW_DiskCalculator_TVCC_EN_REL-01.00_20170419.zip](#)
- [SW_IPTOOL_TVCC_EN_REL-01.00_20170419.zip](#)

Drawings



Space view



3D View

Certifications

- 00. CE Marking - EU
- 37. Marking - Morocco
- 99. WEEE Directive ([download](#))

Technical data

Class group: Alarm installations, emergency call and signalling

Class: Image storage for video surveillance system

Recording type: Analogue

Device construction: Desktop

Number of hard disc bays: 1

Number of preinstalled hard discs: 1

Memory capacity per hard disc: 1

Max. number of video inputs: 8

Max. number of control inputs: 0

Number of HDMI connections: 1

Number of Mini HDMI connections: 0

Number of DVI sockets: 0

Number of RJ45 connections: 1

Number of inputs DisplayPort (DP): 0

Number of inputs Mini DisplayPort (mDP): 0

Number of D-Sub connections 15-pole: 0

Number of BNC connections: 8

Number of ports USB-A: 0

Number of ports USB-C: 2

Supports H.264 codec: Yes

Supports H.265 codec: Yes

Supports Motion JPEG codec: Yes

Supports MPEG-4 codec: No

With video motion detector: Yes

With integrated AI analysis: Yes

With integrated audio analysis: No

Number of ports 1000 Mbps Mini GBIC: 0

Number of combination-ports RJ45/Mini GBIC: 0

Number of ports PoE: 0

Max. PoE power: 0 W

Power over Ethernet (PoE): None

With DVD: No

Redundant power supply: No

Power consumption: 15 W

Max. recording resolution: 5

Max. data transmission rate: 100

Operating system: Linux

Number of pre-licensed cameras: 8

RAID 0 capable: No

RAID 1 capable: No

RAID 5 capable: No

RAID 6 capable: No

RAID 10 capable: No

Hot-swappable hard disk capability: No

Width: 300 mm

Height: 52 mm

Depth: 248 mm

Packaging



8007352708518

Qtà 1 NR

Dim 36.5x29.5x9 [cm]

Weight 1,470.5 [g]

You may also be interested in



46936.001 - USB alarm extension



4651.036ES - Bullet AHD cam 5Mpx 3,6mm



4651.2812ES - Bullet AHD cam 5Mpx 2,8-12mm



4652.036ES - Dome AHD cam 5Mpx 3,6mm



4652.2812ES - Dome AHD cam 5Mpx 2,8-12mm

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).