



## Video: One-family kit 7in video RFID DIN supply

### K42930

ELVOX Door entry system / Other video door entry systems / Video / Video kits

### One-family kit 7in video RFID DIN supply

Surface mounting video door entry kit containing 1 hands-free 7in LCD colour video entryphone with capacitive keyboard, 1 RFID audio/video entrance panel with 1 push button and rain-proof frame, 1 power supply unit 40103, complete with brackets for wall mounting



### Product Status

3 - Active

### Minimum order quantity

1 NR

### Kit components



40103 - DIN power supply  
100-240V~ 50/60Hz 24Vdc



42920.P - Plate for 7in Video  
kit with RFID reader



K42932 - Additional 7in  
monitor DIN power supply

## You may also be interested in



[40169 - 7 Mifare RFID keys](#)



[42920.K - 1-2-4 button kit for  
RFID Video kit plat](#)



[46CAM.136B.8 - Bullet IR  
AHD cam1080p 3,6mm lens  
CVBS](#)



[K42912 - 7in video internal  
unit plug-in supply](#)



[K42917 - 7in video touch  
internal unit plug-in](#)



[K42932 - Additional 7in  
monitor DIN power supply](#)



[K42937 - Additional  
7inTSmonitor DIN power  
supply](#)



[42920.P - Plate for 7in Video  
kit with RFID reader](#)



[42920.D - Bus distributor 4  
outs Video RFID kit](#)



[K42947 - 7in TS Wi-Fi  
monitor multiplug](#)



[K42957 - 7in TS Wi-Fi  
monitor DIN supply un.](#)

## Sheets, Manuals, Documentation

- [Multilanguage User Manual \(27076 kb\)](#)

## Technical data

- **Class group:** Communication technique (components and systems)
- **Class:** Door station set
- **With video:** Yes
- **Number of indoor stations:** 1
- **Number of outdoor stations:** 1
- **Number of call buttons:** 1
- **Installation technique:** 2-wire
- **Mounting method indoor station:** Surface mounted
- **Colour indoor station:** White
- **Mounting method outdoor station:** Surface mounted
- **Material outdoor station:** Aluminium
- **Colour outdoor station:** Grey
- **Expandable to max. number of indoor stations:** 12
- **Expandable to max. number of outdoor stations:** 2
- **Picture system:** PAL
- **Property picture system:** Colour
- **Overhear protected:** Yes
- **Can be connected to smartphone:** No
- **Internal communication:** Yes
- **Hands free:** Yes
- **With day/night function:** No
- **Opening angle camera:** 130
- **Zoom, pan/tilt function:** No
- **With memory function:** No
- **Screen diagonal:** 178,00 mm
- **Screen diagonal (inch):** 7
- **Manual adjustable camera:** No
- **Label space/information surface:** Yes
- **Hearing aid compatible:** No
- **Suitable for disabled persons:** Yes
- **Compatible with Apple HomeKit:** No
- **Compatible with Google Assistant:** No
- **Compatible with Amazon Alexa:** No
- **IFTTT support available:** No

## Certifications

- 00. CE Marking - EU ([download](#))
- 37. Marking - Morocco
- 99. WEEE Directive ([download](#))

## Packaging



**Code** 8007352742505  
**Quantity** 1 NR  
**Dim.** 26.5x10.8x20 [cm]  
**Weight** 1,530 [g]



**Code** 8007352742512  
**Quantity** 4 NR  
**Dim.** 45.5x28.3x23.2 [cm]  
**Weight** 6,700 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).