



Video: Two-family kit 7in TS RFID DIN suppl

K42936

ELVOX Door entry system / Other video door entry systems / Video / Video kits

Two-family kit 7in TS RFID DIN suppl

Surface mounting video door entry kit containing 2 hands-free 7in LCD colour touch screen video entryphones, 1 RFID audio/video entrance panel with 2 push buttons (for two- or four-family configuration) with rain-proof frame, 2 power supply units 40103, 1 bus distributor with 4 outputs, complete with brackets for wall mounting



Product Status

3 - Active

Minimum order quantity

1 NR

Kit components



kit with RFID reader



42920.P - Plate for 7in Video 40103 - DIN power supply 100-240V~ 50/60Hz 24Vdc



42920.D - Bus distributor 4 outs Video RFID kit



K42937 - Additional 7inTSmonitor DIN power supply

You may also be interested in



K42912 - 7in video internal unit plug-in supply



K42932 - Additional 7in monitor DIN power supply



K42917 - 7in video touch internal unit plug-in



K42937 - Additional 7inTSmonitor DIN power supply



K42947 - 7in TS Wi-Fi monitor multiplug



K42957 - 7in TS Wi-Fi monitor DIN supply un.



kit with RFID reader



42920.P - Plate for 7in Video 42920.D - Bus distributor 4 outs Video RFID kit



42920.K - 1-2-4 button kit for 40169 - 7 Mifare RFID keys RFID Video kit plat



46CAM.136B.8 - Bullet IR AHD cam1080p 3,6mm lens **CVBS**

Sheets, Manuals, Documentation

Multilanguage User Manual (7358 kb)

Technical data

Class group: Communication technique

Class: Door station set

With video: Yes

Number of indoor stations: 2

Number of outdoor stations: 1

Number of call buttons: 2

Installation technique: 2-wire

Mounting method indoor station: Surface mounted

Colour indoor station: White

Mounting method outdoor station: Surface mounted

Material outdoor station: Aluminium

Colour outdoor station: Grey

Expandable to max. number of indoor stations: 12

Expandable to max. number of outdoor stations: 2

Picture system: PAL

Property picture system: Colour

Overhear protected: Yes

Can be connected to smartphone: No

Internal communication: Yes

Hands free: Yes

With day/night function: No

Opening angle camera: 130

Zoom, pan/tilt function: No

With memory function: Yes

Screen diagonal: 178,00 mm

Screen diagonal (inch): 7

Manual adjustable camera: No

Label space/information surface: Yes

Hearing aid compatible: No

Suitable for disabled persons: Yes

Compatible with Apple HomeKit: No

Compatible with Google Assistant: No

Compatible with Amazon Alexa: No

IFTTT support available: No

Certifications

00. CE Marking - EU (download)

37. Marking - Morocco

99. WEEE Directive (download)

Packaging



Code Quantity Dim.

8007352742581 1 NR 26.5x13.5x20 [cm]

Weight 2,110 [g]



Code Quantity Dim.

8007352742598 4 NR

56.4x28.3x23 [cm]

Weight 8,440 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see Conditions of Use.