



## Video: 7in TS Wi-Fi video kit RFID2F DIN-supply

### K42956

ELVOX Door entry system / Other video door entry systems / Video / Video kits

### 7in TS Wi-Fi video kit RFID2F DIN-supply

Surface mounting video door entry kit containing 2 hands-free Wi-Fi 7in LCD colour touch screen video entryphones, 1 RFID audio/video entrance panel with 2 push buttons (for two- or four-family configuration) with rain-proof frame, 2 power supply units 40103, 1 bus distributor with 4 outputs, complete with brackets for wall mounting



### Product Status

3 - Active

### Minimum order quantity

1 NR

### Kit components



42920.P - Plate for 7in Video kit with RFID reader



40103 - DIN power supply 100-240V~ 50/60Hz 24Vdc



42920.D - Bus distributor 4 outs Video RFID kit



K42957 - 7in TS Wi-Fi monitor DIN supply un.

You may also be interested in



K42912 - 7in video internal  
unit plug-in supply



K42932 - Additional 7in  
monitor DIN power supply



K42917 - 7in video touch  
internal unit plug-in



K42937 - Additional  
7inTSmonitor DIN power  
supply




K42947 - 7in TS Wi-Fi  
monitor multiplug



K42957 - 7in TS Wi-Fi  
monitor DIN supply un.



42920.P - Plate for 7in Video  
kit with RFID reader



42920.D - Bus distributor 4  
outs Video RFID kit



42920.K - 1-2-4 button kit for  
RFID Video kit plat



40169 - 7 Mifare RFID keys



46CAM.136B.8 - Bullet IR  
AHD cam1080p 3,6mm lens  
CVBS

## Sheets, Manuals, Documentation

- [Multilanguage User Manual \(9160 kb\)](#)

## Technical data

- **Class group:** Communication technique
- **Class:** Door station set
- **With video:** Yes
- **Number of indoor stations:** 2
- **Number of outdoor stations:** 1
- **Number of call buttons:** 2
- **Installation technique:** 2-wire
- **Mounting method indoor station:** Surface mounted
- **Colour indoor station:** White
- **Mounting method outdoor station:** Surface mounted
- **Material outdoor station:** Aluminium
- **Colour outdoor station:** Grey
- **Expandable to max. number of indoor stations:** 12
- **Expandable to max. number of outdoor stations:** 2
- **Picture system:** PAL
- **Property picture system:** Colour
- **Overhear protected:** Yes
- **Can be connected to smartphone:** Yes
- **Internal communication:** Yes
- **Hands free:** Yes
- **With day/night function:** No
- **Opening angle camera:** 130
- **Zoom, pan/tilt function:** No
- **With memory function:** Yes
- **Screen diagonal:** 178,00 mm
- **Screen diagonal (inch):** 7
- **Manual adjustable camera:** No
- **Label space/information surface:** Yes
- **Hearing aid compatible:** No
- **Suitable for disabled persons:** Yes
- **Compatible with Apple HomeKit:** No
- **Compatible with Google Assistant:** No
- **Compatible with Amazon Alexa:** No
- **IFTTT support available:** No

## Certifications

- 00. CE Marking - EU ([download](#))
- 37. Marking - Morocco
- 46. UK PSTI compliance ([download](#))
- 99. WEEE Directive ([download](#))

## Packaging



<b>Code</b>	8007352742703	<b>Code</b>	8007352742710
<b>Quantity</b>	1 NR	<b>Quantity</b>	4 NR
<b>Dim.</b>	26.5x13.5x20 [cm]	<b>Dim.</b>	56.4x28.3x23 [cm]
<b>Weight</b>	2,110 [g]	<b>Weight</b>	8,440 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).