EIKON: Touch control unit 3M white

R21509.B

Smart systems&products / By-me Plus / EIKON / Devices

Touch control unit 3M white

Spare control unit and home automation system configuration, B&W touch screen, 1 input for temperature sensor, supplied with accessory V51923 for installation on DIN rail (60715 TH35), white - 3 modules. Complete with RJ45 front programming connector, cable and accessory V51921 for installation on DIN rail (60715 TH35)

Product Status

2 - Will be discontinued

Minimum order quantity

1 NR

Sheets, Manuals, Documentation

- Manuale installatore (17585 kb)
- Manual del instalador (17240 kb)
- Installer manual (17199 kb)
- Installationsanleitung (17194 kb)
- Multilanguage user manual (6037 kb)
- By-me automation-fw Compatibility (206 kb)
- By-me burglar alam-fw Compatibility (99 kb)

Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU**
- **46. UK PSTI compliance (download)**
- **99. WEEE Directive (download)**

Technical data

Class group: Installation bus systems

Class: Signalling and operation panel for bus system

Bus system KNX: No

Bus system KNX-RF (Radio Frequency): No

Bus system radio frequency: No

Other bus systems: None

Radio frequency bidirectional: No

Model: Signalling and operating panel

Mounting method: Flush-mounted

Text field: Yes

Display: TFT LCD

Touch function: Yes

Additional interfaces: Other

With bus connection: Yes

Material: Plastic

Material quality: Other

Colour: White

RAL-number (similar): 9016

Degree of protection (IP): IP40

Packaging

8007352617650

Qtà	1 NR
Dim	22x15.9x8.2 [cm]
Weight	446 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.