



Connector block boxes: Box 4M for Exé flush-wall plate

V71794

System infrastructure / Enclosures and control units / Connector block boxes / Flush mounting

Box 4M for Exé flush-wall plate

4-module flush mounting box (GW 960 °C) with plaster frame for flush mounting installation of Exé cover plates on hollow walls

Product Status

3 - Active

Minimum order quantity

1 NR

You may also be interested in



V71580 - Accessory for flushwall plate removing

Sheets, Manuals, Documentation


Multilanguage instructions sheet (1743 kb)


Video

• Flush mounting installation



Drawings







Space view Backside view

3D View

Technical data

Class group: Connection material (electrotechnical)

Class: Box/housing for built-in mounting in the wall/ceiling

Mounting method: Hollow wall

Shape: Rectangular

Construction type: Device connection box (round/square)

Model: Other

Provided with revolving ring: No

Couplable: Yes

Equipped with: None

Diameter: 0 mmLength: 230,00 mmWidth: 217,00 mm

Depth: 0,00 - 58,65 mm

For number of electric fittings: 4

Mounting switching equipment: Screwing

With screws: No

Housing feed-through by break-out opening: Yes

Housing feed-through by seal membrane: No

Housing feed-through by nozzle: No

Housing feed-through by step membrane: No

For tube diameter: 20/25 mm

Pipe locking: No

Pipe locking optional: No **Inlet from the rear**: Yes

Number of inlets: 12

Number of included spouts: 0

Material: Plastic
Halogen free: Yes

Surface protection: Untreated

Colour: Blue

Degree of protection (IP): IP00

Cover model: NoneTransparent cover: NoCover attachment: Screwed

Sealable: No

Circuit integrity: None
With screening: No

Air tight: No

Max. conductor cross section: 0 Number of poles of the clamp: 0

Clamp position fixed: No

Luminaire hook mounting: No

Nozzle: None

Special application: None

Packaging



Code 8007352630734 **Quantity** 1 NR

Dim. 31.4x27.4x9.8 [cm] **Weight** 963.4 [g]



Code 8007352635531

Quantity 5 NR **Dim.** 50x29x33.5 [cm] **Weight** 5,401 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see Conditions of Use.