



# Junction boxes: Junction box hollow walls 298x164x73,5mm

#### V72007

System infrastructure / Enclosures and control units / Junction boxes / Flush mounting

### Junction box hollow walls 298x164x73,5mm

Flush mounting junction box for hollow walls with white cover and fixing screws. Dimensions 298x164x73.5 mm

#### **Product Status**

3 - Active


#### Minimum order quantity

7 NR

## Drawings







Backside view





3D View

### Technical data

Class group: Connection material (electrotechnical)

Class: Box/housing for built-in mounting in the wall/ceiling

Mounting method: Flush-mounted

Shape: Rectangular

Construction type: Cable junction box

Model: Other

Provided with revolving ring: No

Couplable: Yes
Equipped with: None
Diameter: 0 mm
Length: 298,00 mm

Width: 298,00 mm
Depth: 0,00 - 73,50 mm
Inner depth: 73,50 mm

For number of electric fittings: 0

Mounting switching equipment: Spread

**With screws**: Yes

Housing feed-through by break-out opening: Yes

Housing feed-through by seal membrane: No

Housing feed-through by nozzle: No

Housing feed-through by step membrane: No

For tube diameter: Other

Pipe locking: Yes

Pipe locking optional: Yes

Inlet from the rear: Yes

Number of inlets: 18

Number of included spouts: 0

Material: Plastic Halogen free: Yes

Surface protection: Untreated

**Colour**: Blue

• Degree of protection (IP): IP20

Cover model: Blind cover
Transparent cover: No
Cover attachment: Screwed

Sealable: No

With screening: No

• Air tight: No

Max. conductor cross section: 0Number of poles of the clamp: 0

Clamp position fixed: No

Luminaire hook mounting: No

Nozzle: None

• Special application: None

### Certifications

- 00. CE Marking EU
- 01. IMQ Italy (download)
- 43. UKCA mark Great Britain

- 50. Product Environm. Profile
- 96. Electrotechnical expert (download)

### **Packaging**



Code 8007352589940 Quantity 1 NR Dim. 32.3x22.7x7.6 [cm]

**Dim.** 32.3x22 **Weight** 496 [g]



**Code** 8007352589957 **Quantity** 7 NR

**Dim.** 59x38.5x24 [cm]

**Weight** 4,188 [g]

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see Conditions of Use.