





Many benefits for the user.

Easy to install and attractive to look at, the Wi-Fi video doorbell allows you to check and identify who's ringing your doorbell.



Everything is under control, at all times.

Thanks to the straightforward **View Door** App and to the integrated Wi-Fi, you can use your smartphone or tablet to check who is ringing your doorbell, even when you're out. If you add the additional wireless ringtone, you can also set up call repetition.



The **View Door** App, with its user-friendly graphic interface, allows you to receive and manage calls from the Wi-Fi video doorbell and to control the lock at home from your smartphone or tablet.





Characteristics.

There are so many reasons you should choose the Wi-Fi video doorbell.



Wi-Fi and camera are integrated

Outdoor station with integrated **camera** and **Wi-Fi**, **4 Mpx** resolution, **160° wide angle lens** and full-duplex audio.



Motion and person detection

Motion detection **function** with programmable zones and **human presence** recognition.



Voice assistants

Compatible with Amazon Alexa voice assistants



Video and picture recording

Storage of film footage on **8 GB SD card**, with **pre-roll** function, allowing you to record footage from 5 s before motion detection.



Tamper detection

Tamper anti-removal function with notifications on smartphone and tablet via the View Door App.



Lock and auxiliary services

Contacts for electric **lock control** and **rely** for auxiliary services



Protection degree IP54

Surface mounting with protection **IP54 protection against dust** and water sprays.



Additional ringtone

Additional wireless ringtone for call repetition.



Replacing existing systems

You can **replace old doorbells** or **existing entryphone systems** powered at 12/24 VAC, thanks to the voltage rectifier.

The doorbell in a kit.



K40960

- Integrated Wi-Fi video doorbell
- Surface mounting power supply unit 24 VDC 1 A with interchangeable standard European, British, American and Australian plugs



K40965

- Integrated Wi-Fi video doorbell
- Power supply unit for installation on DIN rail

Additional components:



40961

Additional wireless ringtone for call repetition



40962

24 VDC voltage rectifier, allowing the replacement of old doorbells or existing entryphone systems powered at 12/24 VAC



Energia Positiva. Insieme

