


A universe of solutions for
Eikon, Arké, Idea, Plana and Neve.



CUSTOMISATION



We transform every design into an iconic design.

Identity and intuitivity.

To comply with the market exclusivity and the new design trends, Vimar offers customised solutions **to enhance the project of the architect or interior designer** with tailor-made product for **satisfying new design trends** that are not yet included in the catalogue but are requested by designers;

The Vimar laser technology enables the reproduction on the **cover plates** and **buttons of the controls** every type of symbol with great perfection and warranty of indelebility, even for minimum quantity.

For every series it is available a related Library of symbols that contains pictograms identifying the main functions for conventional or home automation controls.

The **laser technology advantages** are:

- indelible engraving that does not deteriorate over time;
- reproduction with maximum accuracy even for fine lines and complex subjects;
- service available even for minimal quantities;
- possibility of ordering the same customisation at different times with identical result.

The few limits of technology, it is not possible to reproduce coloured images.



Customised cover plate and controls



Eikon




Arké




Plana



Idea



Neve



Eikon Exé



Eikon Evo



Arké Round



Plana



Idea




Neve

EIKON TACTIL

Terms for customisation of cover plates.

Customisation with logotype.



.70 Diamond White - customised with corporate logotype

How to order

Complete the table according to the required customisation, indicating:


- the cover plate **code** (e.g. 21663.01).
Are not customisable: Pearl grey (73).
For **wooden cover plates**, prices and quantity agreed with the commercial network.
- the **quantity**;
- the **position** (see grey area in drawings below);
- supply the symbol or logotype to reproduce:**
 - DXF or EPS format;
 - minimum line width and minimum distance between lines: 0.5 mm.

Surcharge for logotype.

Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P61	
From 21 to 50 items	B.P62	
From 51 to 100 items	B.P63	
From 101 to 500 items	B.P64	
More than 500 items	B.P65	

The quantity refers to the cover plates with the same logo regardless of the modularity.

Customisable positions.



Customisation table

Cover plate code	Q.ty	Cover plate code	Q.ty	Cover plate code	Q.ty

Notes.

- It is advisable to order a number of cover plates including a **minimum quantity for any additions or replacements**.
- The **delivery time** is **40 working days on average** from receipt of order (contact the sales network for confirmation).

Terms for customisation of controls.

The customisation of the Eikon Tactil controls takes place with the application of a sticker of the desired symbol directly to the control, on the cover plate backside.



21847
8 stickers with symbols and words



21847.1
4 stickers with symbols and words for hotel/sailing sector



21847.2
4 stickers with symbols and words



21846
8 stickers with numbering rooms, dedicated to 21606 cover plate

EIKON EVO

Terms for customisation of cover plates.

Customisation with logotype.



10 Satin Gold - customised with corporate logotype

How to order

Complete the table according to the required customisation, indicating:

- the cover plate **code** (e.g. 21653.01). **Are not customisable: Crystal: Silver Ice (72), Pearl Grey (73), Opal Brown (74), Bronzed Mirror (75).**

For **wooden cover plates**, prices and quantity agreed with the commercial network.


- the **quantity**;
- the **position** (see grey area in drawings below);
- **supply the symbol or logotype to reproduce**:
 - DXF or EPS format;
 - minimum line width and minimum distance between lines: 0.5 mm.

Surcharge for logotype.

Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P31	
From 21 to 50 items	B.P32	
From 51 to 100 items	B.P33	
From 101 to 500 items	B.P34	
More than 500 items	B.P35	

The quantity refers to the cover plates with the same logo regardless of the modularity.

Customisable positions.



Eikon Evo

Customisation table

Cover plate code	Q.ty

Cover plate code	Q.ty

Cover plate code	Q.ty

Notes.

- It is advisable to order a number of cover plates including a **minimum quantity for any additions or replacements**.
- The **delivery time** is **40 working days on average** from receipt of order (contact the sales network for confirmation).

Terms for customisation of cover plates.


Customisation with logotype.



.83 Black Chrome - customised with corporate logotype



Vintage 22673.3.01 Matt White - customised with corporate logotype



How to order

Complete the table according to the required customisation, indicating:

- the cover plate **code** (e.g. 22653.01). **Are not customisable: Marbled stoneware: Calacatta White (51), Coffee Brown (52), Black Marquiña (53); Mirrors: Ice Silver (75), Shiny Bronze (76), Opal Brown (77); Glass: Satin Black (73) and Exclusive Metals: Antique Gold (85).**

For **wooden cover plates**, prices and quantity agreed with the commercial network.


- the **quantity**;
- the **position** (see grey area in drawings below);
- supply the symbol or logotype to reproduce:**
 - DXF or EPS format;
 - minimum line width and minimum distance between lines: 0.5 mm.

Surcharge for logotype.


Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P31	
From 21 to 50 items	B.P32	
From 51 to 100 items	B.P33	
From 101 to 500 items	B.P34	
More than 500 items	B.P35	

The quantity refers to the cover plates with the same logo regardless of the modularity.


Customisable positions.



Eikon Exé



Eikon Exé Flat



Eikon Exé Vintage

Customisation table

Cover plate code	Q.ty

Cover plate code	Q.ty

Cover plate code	Q.ty

Notes.

- It is advisable to order a number of cover plates including a **minimum quantity for any additions or replacements**.
- The **delivery time is 40 working days on average** from receipt of order (contact the sales network for confirmation).

EIKON CHROME

Terms for customisation of cover plates.

Customisation with logotype.



C10 Silver metal - customised with corporate logotype

How to order

Complete the table according to the required customisation, indicating:


- the cover plate **code** (e.g. 20653.C01).
Are not customisable: Bright Matt Titanium (C14) and Crystal: Black Ice (C71), Silver Mirror (C81).
For **wooden cover plates**, prices and quantity agreed with the commercial network.
- the **quantity**;
- the **position** (see grey area in drawings below);
- supply the symbol or logotype to reproduce:**
 - DXF or EPS format;
 - minimum line width and minimum distance between lines: 0.5 mm.

Surcharge for logotype.


Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P31	
From 21 to 50 items	B.P32	
From 51 to 100 items	B.P33	
From 101 to 500 items	B.P34	
More than 500 items	B.P35	

The quantity refers to the cover plates with the same logo regardless of the modularity.

Customisable positions.



Eikon Chrome Classic



Eikon Chrome Round

Customisation table

Cover plate code	Q.ty

Cover plate code	Q.ty

Cover plate code	Q.ty

Notes.

- It is advisable to order a number of cover plates including a **minimum quantity for any additions or replacements**.
- The **delivery time** is **40 working days on average** from receipt of order (contact the sales network for confirmation).

Terms for customisation of cover plates.

Customisation with logotype.



.88 Antique gold - customised with corporate logotype

How to order

Complete the table according to the required customisation, indicating:


- the cover plate **code** (e.g. 19653.01). **Are not customisable Metal-Color: Matt Graphite (01 and 21), Metal-Elite: Gold (07 e 27), Black Chrome (09), Black Nickel (10), Chrome (28), Dark Nickel (29) Matt Nickel (30); Wood: Larch (43).** For **wooden cover plates**, prices and quantity agreed with the commercial network.
- the **quantity**;
- the **position** (see grey area in drawings below);
- supply the symbol or logotype to reproduce:**
 - DXF or EPS format;
 - minimum line width and minimum distance between lines: 0.5 mm.

Surcharge for logotype.


Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P51	
From 21 to 50 items	B.P52	
From 51 to 100 items	B.P53	
From 101 to 500 items	B.P54	
More than 500 items	B.P55	

The quantity refers to the cover plates with the same logo regardless of the modularity.

Customisable positions.



Arké Classic



Arké Round

Customisation table

Cover plate code	Q.ty

Cover plate code	Q.ty

Cover plate code	Q.ty

Notes.

- It is advisable to order a number of cover plates including a **minimum quantity for any additions or replacements**.
- The **delivery time** is **40 working days on average** from receipt of order (contact the sales network for confirmation).

Terms for customisation of cover plates.

Customisation with logotype.



Rondò .33 Matt Gold - customised with corporate logotype

How to order

Complete the table according to the required customisation, indicating:


- the cover plate **code** (e.g. 16753.01).
Are not customisable: 12 and 18 modules, technopolymer: 16748.V23 and 16749.V23.
For **wooden cover plates**, prices and quantity agreed with the commercial network.
- the **quantity**;
- the **position** (see grey area in drawings below);
- supply the symbol or logotype to reproduce:**
 - DXF or EPS format;
 - minimum line width and minimum distance between lines: 0.5 mm.

Surcharge for logotype.


Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P01	
From 21 to 50 items	B.P02	
From 51 to 100 items	B.P03	
From 101 to 500 items	B.P04	
More than 500 items	B.P05	

The quantity refers to the cover plates with the same logo regardless of the modularity.


Customisable positions.




Idea Classica



Idea Classica - only metal cover plate



Idea Rondò



Idea Rondò - only metal cover plate

Customisation table

Cover plate code	Q.ty

Cover plate code	Q.ty

Cover plate code	Q.ty

Notes.

- It is advisable to order a number of cover plates including a **minimum quantity for any additions or replacements**.
- The **delivery time** is **40 working days on average** from receipt of order (contact the sales network for confirmation).

Terms for customisation of cover plates.

Customisation with logotype.



Reflex .48 Orange - customised with corporate logotype

How to order

Complete the table according to the required customisation, indicating:


- the cover plate **code** (e.g. 19653.01). **Are not customisable:**
Technopolymer: Iridescent Brown (23), Polished Gold (24), Matt Gold (25), Ash (31), Fir (32) and Makoré (33).
For **wooden cover plates**, prices and quantity agreed with the commercial network.
- the **quantity**;
- the **position** (see grey area in drawings below);
- supply the symbol or logotype to reproduce:**
 - DXF or EPS format;
 - minimum line width and minimum distance between lines: 0.5 mm.

Surcharge for logotype

Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P21	
From 21 to 50 items	B.P22	
From 51 to 100 items	B.P23	
From 101 to 500 items	B.P24	
More than 500 items	B.P25	

The quantity refers to the cover plates with the same logo regardless of the modularity.

Customisable positions.



Plana

Customisation table

Cover plate code	Q.ty	Cover plate code	Q.ty	Cover plate code	Q.ty

Notes.

- It is advisable to order a number of cover plates including a **minimum quantity for any additions or replacements**.
- The **delivery time** is **40 working days on average** from receipt of order (contact the sales network for confirmation).

Controls customisation.

The customisation of the controls and buttons takes place by laser because it is a guarantee of inalterability over time and precision in reproduction. It is possible to customise any type of wordings or symbols (excluding in color), from the Standard symbols and wordings library or on specific customer request, following simple instructions.

How to order

It is necessary to fill in:

- **Customisation table;**
- **Positions and characteristics table:** marking the desired position to customise considering the **backlighting**.




Price of customisation of **standard symbols or wordings*** (see page 22)

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P31	
From 21 to 50 items	B.P32	
From 51 to 100 items	B.P33	
From 101 to 500 items	B.P34	
More than 500 items	B.P35	

Notes

- for **buttons and conventional controls: backlit wording** must be placed in the positions referred into the table besides. **Not backlit wording** can be placed in the whole area of the button;
- for **home automation buttons: backlit wording** must be placed in the 10x10 mm area and composed of max 3 rows of text, each row with **max 8 capital letters**, font height of 1,7 mm and style as the library (see the table below). **Not backlit wording** can be placed in the whole area of the button.

Texts positions		
Text in 1 row	Text in 2 rows	Text in 3 rows
		

Price of customisation of **not standard symbols***

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
From 5 to 20 items	B.P36	
From 21 to 50 items	B.P37	
From 51 to 100 items	B.P38	
From 101 to 500 items	B.P39	
More than 500 items	B.P40	

Notes

Specific requests of **not standard symbols** must be supplied according to the following rules:

- format of the file DXF or EPS;
- minimum line width and minimum distance between lines: 0.5 mm.


In conventional controls and buttons and home automation buttons, symbols can be:

- **backlit** in the positions referred into the table of the next page;
- **not backlit**, the symbol can be placed in the whole area of the buttons.

Example of buttons and controls with customisation



Rocker controls with not backlit customisation



Axial controls with backlit customisation



1-module buttons for RF device with customisation



2-module buttons for RF device with customisation

Example of home automation buttons with customisation



Customisation **not backlit** and **LED "OFF"**



Backlit customisation (text and symbols on 1-module buttons)









Backlit customisation (text on 2-module button and symbols on 1-module button)

Customisation table



Article code	Symbol code*	Q.ty	Article code	Symbol code*	Q.ty	Article code	Symbol code*	Q.ty

* See Standard symbols and wordings library on page 22 or customer request

Positions and features for conventional controls and buttons (mark the position to customize)

Type	Customisation position	Backlit customisation	Not backlit customisation
1- and 2-module rocker controls and 1-, 2- and 3-module interchangeable buttons		NO	positions 1 and 2
Interchangeable buttons for rocker controls 20031, 20032 e 20033		YES only position 3 into 14x7 mm area	positions 1 and 2
1- and 2-module axial controls		NO	positions 1 and 2
Interchangeable buttons for axial controls 20131.0, 20132.0 e 20133.0		YES only position 2 with 14x7 mm Mylar stickers	positions 1 and 3
1-module buttons for radiofrequency devices		NO	positions 1 and 2
2-module button for radiofrequency devices		NO	positions 1 and 2

Positions and features for home automation buttons (mark the position to customize)

Type	Customisation position	Backlit customisation	Not backlit customisation
1-module half buttons		YES only into 10x10 mm area	if the LED programming is "OFF" the whole area of the button can be customised
2-module half buttons		YES only into 10x10 mm area	if the LED programming is "OFF" the whole area of the button can be customised

EIKON

Vintage and Flat controls customisation.

The customisation of the controls and buttons takes place by laser because it is a guarantee of inalterability over time and precision in reproduction. It is possible to customise any type of wordings or symbols (excluding in color), from the Standard symbols and wordings library or on specific customer request, following simple instructions.

How to order

It is necessary to fill in:

- **Customisation table;**
- **Positions and characteristics table:** marking the desired position to customise considering the **backlighting**.

Price of customisation of **standard symbols or wordings*** (see page 22)

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P31	
From 21 to 50 items	B.P32	
From 51 to 100 items	B.P33	
From 101 to 500 items	B.P34	
More than 500 items	B.P35	




Notes

Vintage controls

- the controls are not customisable;
- to identify the functions of controls it is necessary to customise the dedicated area into the plate with the specific symbols (see Standard symbols and wordings page 22);
- every variation of **symbol/wording** on the cover plate corresponds to a different customization;
- **symbols/wordings** are not backlit.

Flat controls

- for **conventional controls**: **backlit wording** must be placed in the positions referred into the table besides. **Not backlit wording** can be placed in the whole area of the button;
- for **home automation controls**: **backlit wording** must be placed in the 10x10 mm area and composed of max 3 rows of text, each row with **max 8 capital letters**, font height of 1,7 mm and style as the library (see the table below). **Not backlit wording** can be placed in the whole area of the button.

Texts positions		
Text in 1 row	Text in 2 rows	Text in 3 rows
		

Price of customisation of **not standard symbols***

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
From 5 to 20 items	B.P36	
From 21 to 50 items	B.P37	
From 51 to 100 items	B.P38	
From 101 to 500 items	B.P39	
More than 500 items	B.P40	

Notes

Specific requests of **not standard symbols** must be supplied according to the following rules:

- format of the file DXF or EPS;
- minimum line width and minimum distance between lines: 0.5 mm.

In conventional controls and buttons and home automation buttons, symbols can be:

- **backlit** in the positions referred into the table of the next page;
- **not backlit**, the symbol can be placed in the whole area of the buttons.

Example of customised Vintage controls



3-gang Eikon Exé Vintage



2-gang Eikon Exé Vintage

Example of customised Flat controls



6-gang Eikon Exé Flat for home automation and RGB customization



3-gang Eikon Exé Flat for conventional controls, backlit




2-gang Eikon Exé Flat for conventional controls, backlit

Customisation table


Article code	Symbol code*	Position	Q.ty	Article code	Symbol code*	Position	Q.ty

* See Standard symbols and wordings library on page 22 or customer request


Possible positions for Vintage controls customisation.





Possible positions for Flat controls customisation.



Possible positions for Flat home automation controls customisation.



Positions and features for Flat home automation controls

Cover plates finishes	Positions for customisation	Backlit customisation	Not backlit customisation
01 Matt White, 03 Anthracite grey, 12 Brushed Dark Bronze		YES only into 10x10 mm area	if the LED programming is "OFF" the whole area of the button can be customised
11 Brushed Nickel, 82 Gold		Refer to the commercial network	Refer to the commercial network

Controls customisation.

The customisation of the controls and buttons takes place by laser because it is a guarantee of inalterability over time and precision in reproduction. It is possible to customise any type of wordings or symbols (excluding in color), from the Standard symbols and wordings library or on specific customer request, following simple instructions.

How to order

It is necessary to fill in:

- **Customisation table;**
- **Positions and characteristics table:** marking the desired position to customise considering the **backlighting**.

Price of customisation of **standard symbols or wordings*** (see page 23)

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P51	
From 21 to 50 items	B.P52	
From 51 to 100 items	B.P53	
From 101 to 500 items	B.P54	
More than 500 items	B.P55	

Notes

- for **buttons and conventional controls: backlit wording** must be placed in the positions referred into the table besides. **Not backlit wording** can be placed in the whole area of the button;
- for **home automation buttons: backlit wording** must be **placed** in the 10x10 mm area and composed of max 3 rows of text, each row with **max 8 capital letters**, font height of 1,7 mm and style as the library (see the table below). **Not backlit wording** can be placed in the whole area of the button.

Texts positions		
Text in 1 row	Text in 2 rows	Text in 3 rows

Price of customisation of **not standard symbols***

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
From 5 to 20 items	B.P56	
From 21 to 50 items	B.P57	
From 51 to 100 items	B.P58	
From 101 to 500 items	B.P59	
More than 500 items	B.P60	

Notes

Specific requests of **not standard symbols** must be supplied according to the following rules:

- format of the file DXF or EPS;
- minimum line width and minimum distance between lines: 0.5 mm.

In conventional controls and buttons and home automation buttons, symbols can be:

- **backlit** in the positions referred into the table of the next page;
- **not backlit**, the symbol can be placed in the whole area of the buttons.


Example of buttons and controls with customisation



Rocker controls with backlit customisation



Axial controls with backlit customisation



1-module buttons for RF device with customisation



2-module buttons for RF device with customisation

Example of home automation buttons with customisation



Customisation **not backlit** and **LED "OFF"**



Backlit customisation (text and symbols on 1-module buttons)









Backlit customisation (text on 2-module button and symbols on 1-module button)

Customisation table



Article code	Symbol code*	Q.ty	Article code	Symbol code*	Q.ty	Article code	Symbol code*	Q.ty

* See Standard symbols and wordings library on page 23 or customer request

Positions and features for conventional controls and buttons (mark the position to customize)

Type	Customisation position	Backlit customisation	Not backlit customisation
1- and 2-module rocker controls		NO	positions 1 and 2
1-, 2- and 3-module interchangeable buttons		YES only position 3 with 12x8 mm Mylar stickers	positions 1 and 2
1- and 2-module axial controls		NO	positions 1 and 3
1-, 2- and 3-module interchangeable buttons for axial controls		YES only position 2 with 12x8 mm Mylar stickers	positions 1 and 3
1-module buttons for radiofrequency devices		NO	positions 1 and 2
2-module button for radiofrequency devices		NO	positions 1 and 2

Positions and features for home automation buttons (mark the position to customize)

Type	Customisation position	Backlit customisation	Not backlit customisation
1-module half buttons		YES only into 10x10 mm area	if the LED programming is "OFF" the whole area of the button can be customised
2-module half buttons		YES only into 10x10 mm area	if the LED programming is "OFF" the whole area of the button can be customised

Controls customisation.

The customisation of the controls and buttons takes place by laser because it is a guarantee of inalterability over time and precision in reproduction. It is possible to customise any type of wordings or symbols (excluding in color), from the Standard symbols and wordings library or on specific customer request, following simple instructions.

How to order

It is necessary to fill in:

- **Customisation table;**
- **Positions and characteristics table:** marking the desired position to customise.

Price of customisation of **standard symbols or wordings*** (see page 24)

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P01	
From 21 to 50 items	B.P02	
From 51 to 100 items	B.P03	
From 101 to 500 items	B.P04	
More than 500 items	B.P05	

Notes

Backlit or not backlit buttons and conventional controls: see table into the next page.

Price of customisation of **not standard symbols***

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
From 5 to 20 items	B.P56	
From 21 to 50 items	B.P57	
From 51 to 100 items	B.P58	
From 101 to 500 items	B.P59	
More than 500 items	B.P60	

Notes

Specific requests of **not standard symbols** must be supplied according to the following rules:

- format of the file DXF or EPS;
- minimum line width and minimum distance between lines: 0.5 mm.

In all the buttons and controls, the symbols **can not be backlit** and the symbol can be placed in area as referred into the tables of the next page.

Example of buttons and controls with customisation



Customised controls with luminous indicator

Example of home automation buttons with customisation





Customised buttons **with LED "ON"**

Customisation table





Article code	Symbol code*	Q.ty	Article code	Symbol code*	Q.ty	Article code	Symbol code*	Q.ty

* See Standard symbols and wordings library on page 24 or customer request

Positions and features for conventional controls and buttons (mark the position to customize)

Type	Customisation position	Backlit customisation	Not backlit customisation
Conventional controls		NO	all positions
Conventional controls with indicator unit		NO	positions 1 and 2

Positions and features for home automation buttons (mark the position to customize)

Type	Customisation position	Backlit customisation	Not backlit customisation
1-module buttons		NO only LED is backlit	in the programming phase it is possible to decide LED status: "OFF" or "ON" or ON with different values of brightness
2-module buttons		NO only LED is backlit	in the programming phase it is possible to decide LED status: "OFF" or "ON" or ON with different values of brightness
1-module KNX buttons		NO only LED is backlit	in the programming phase it is possible to decide LED status: "OFF" or "ON" or ON with different values of brightness
2-module KNX buttons		NO only LED is backlit	in the programming phase it is possible to decide LED status: "OFF" or "ON" or ON with different values of brightness

PLANA

Controls customisation.

The customisation of the controls and buttons takes place by laser because it is a guarantee of inalterability over time and precision in reproduction. It is possible to customise any type of wordings or symbols (excluding in color), from the Standard symbols and wordings library or on specific customer request, following simple instructions.

How to order

It is necessary to fill in:

- **Customisation table**;
- **Positions and characteristics table**: marking the desired position to customise considering the **backlighting**.

Price of customisation of **standard symbols or wordings*** (see page 25)

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P21	
From 21 to 50 items	B.P22	
From 51 to 100 items	B.P23	
From 101 to 500 items	B.P24	
More than 500 items	B.P25	

Notes

- for **buttons and conventional controls**: see table into the next page;
- for **home automation buttons**: **wording must be composed** of max 3 rows of text, each row with **max 8 small letters**, font height of 1,7 mm and style as the library.

Price of customisation of **not standard symbols***

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
From 5 to 20 items	B.P56	
From 21 to 50 items	B.P57	
From 51 to 100 items	B.P58	
From 101 to 500 items	B.P59	
More than 500 items	B.P60	

Notes

Specific requests of **not standard symbols** must be supplied according to the following rules:

- format of the file DXF or EPS;
- minimum line width and minimum distance between lines: 0.5 mm.

In the **buttons and conventional controls**, the symbols **can be backlit** in the positions referred into the table of the next page.

In the **home automation buttons**, the symbols **can not be backlit** and the symbol can be placed in the whole area of the button.


Example of buttons and controls with customisation



Controls and interchangeable buttons with ring or disc backlighting



Plana Silver backlit controls and interchangeable buttons



1-module buttons for RF device with customisation



2-module buttons for RF device with customisation

Example of home automation buttons with customisation



Customisation **without backlighting** and LED "ON"



Customisation **without backlighting** and LED "OFF"








Plana Silver Customisation **without backlighting** and LED "OFF"

Customisation table



Article code	Symbol code*	Q.ty	Article code	Symbol code*	Q.ty	Article code	Symbol code*	Q.ty

* See Standard symbols and wordings library on page 25 or customer request

Positions and features for conventional controls and buttons (mark the position to customize)

Type	Customisation position	Backlit customisation	Not backlit customisation
Rocker controls and interchangeable buttons		YES only position 3 ring backlighting	positions 1 and 2
Interchangeable buttons 14021.G, 14022.G and 14023.G		YES only position 3 into ø 10 mm area disc backlighting	positions 1 and 2
Plana Silver interchangeable buttons 14021.G.SL, 14022.G.SL and 14023.G.SL		YES only position 1 into 13x8,5 mm area	NO
1-module buttons for radiofrequency devices		NO	positions 1 and 2
2-module buttons for radiofrequency devices		NO	positions 1 and 2

Positions and features for home automation buttons (all area of the button is customisable)

Type	All area is customisable	Backlit customisation	Not backlit customisation
1-module half buttons		NO only LED is backlit	in the programming phase it is possible to decide LED status: "OFF" or "ON" or ON with different values of brightness
2-module half buttons		NO only LED is backlit	in the programming phase it is possible to decide LED status: "OFF" or "ON" or ON with different values of brightness

Controls customisation.

The customisation of the controls and buttons takes place by laser because it is a guarantee of inalterability over time and precision in reproduction. It is possible to customise any type of wordings or symbols (excluding in color), from the Standard symbols and wordings library or on specific customer request, following simple instructions.

How to order

It is necessary to fill in:

- **Customisation table;**
- **Positions and characteristics table:** marking the desired position to customise considering the **backlighting**.

Price of customisation of **standard symbols or wordings*** (see page beside)

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
Up to 20 items	B.P41	
From 21 to 50 items	B.P42	
From 51 to 100 items	B.P43	
From 101 to 500 items	B.P44	
More than 500 items	B.P45	

Notes

- for **buttons and conventional controls:** see table into the next page;

Price of customisation **not standard symbols***

* Follow 'Notes' below.

Quantity	Code	Surcharge (100 items €)
From 5 to 20 items	B.P56	
From 21 to 50 items	B.P57	
From 51 to 100 items	B.P58	
From 101 to 500 items	B.P59	
More than 500 items	B.P60	

Notes

Specific requests of **not standard symbols** must be supplied according to the following rules:

- format of the file DXF or EPS;
- minimum line width and minimum distance between lines: 0.5 mm.

In all the buttons and controls, the symbols **can not be backlit** and the symbol can be placed in area as referred into the tables of the next page.


Example of buttons and controls with customisation


















Customisation table

Article code	Symbol code*	Q.ty	Article code	Symbol code*	Q.ty	Article code	Symbol code*	Q.ty

Positions and features for conventional controls and buttons (mark the position to customize)

Type	Customisation position	Not backlit customisation
Controls and buttons		positions 1, 2 and 3

Library of standard symbols and wordings.




























































































































































































										
51	52	53	54	55	56	57	58	59	60	61
OFF	ON									
33	34	39	40	41	42					



Eikon.

The library of standard symbols includes the pictograms and wording identifying the main functions that can be controlled by the devices: from lights to roller shutters, from HVAC control to home automation scenarios.

Library of standard symbols and wordings.

																
♦ S20.001	S20.002	S20.003	S20.004	S20.005	S20.006	S20.007	S20.008	S20.009	S20.010	S20.011	S20.012	S20.013	S20.014	S20.015	S20.016	S20.017
																
S20.018	S20.019	S20.020	S20.021	S20.022	S20.023	S20.024	S20.025	S20.026	S20.027	S20.028	♦ S20.029	S20.030	S20.031	S20.032	S20.033	S20.034
																
S20.035	S20.036	S20.037	S20.038	♦ S20.039	♦ S20.040	S20.041	S20.042	S20.043	S20.044	S20.045	S20.046	S20.047	S20.048	♦ S20.049	S20.050	S20.051
																
S20.052	♦ S20.053	♦ S20.054	♦ S20.055	♦ S20.056	♦ S20.057	♦ S20.058	♦ S20.059	♦ S20.060	S20.061	S20.062	S20.063	S20.064	S20.065	S20.066	S20.067	S20.068
																
S20.069	S20.070	S20.071	S20.072	♦ S20.073	♦ S20.074	S20.075	S20.076	S20.077	S20.078	S20.079	S20.080	S20.081	S20.082	S20.083	S20.084	S20.085
																
S20.086	S20.087	S20.088	S20.089	S20.090	S20.091	S20.092	S20.093	S20.094	S20.095	S20.096	S20.097	S20.098	S20.099	S20.100	S20.101	S20.102
																
S20.103	S20.104	S20.105	S20.106	S20.107	S20.108	S20.109	S20.110	S20.111	S20.112	S20.113	S20.114	S20.115	S20.116	♦ S20.117	S20.118	S20.119
																
S20.120	S20.121	S20.122	S20.123	S20.124	S20.125	S20.126	S20.127	S20.128	S20.129	S20.130	S20.131	S20.132	S20.133	S20.134	S20.135	S20.136
																
S20.137	S20.138	S20.139	S20.140	S20.141	S20.142	S20.143	S20.144	S20.145	S20.146	S20.147	S20.148	S20.149	S20.150	S20.151	S20.152	S20.153
																
S20.154	S20.155	S20.156	S20.157	S20.158	S20.159	S20.160	S20.161	S20.162	S20.163	S20.164	S20.165	S20.166	S20.167	S20.168	S20.169	S20.170
																
S20.171	S20.172	S20.173	S20.174	S20.175	S20.176	S20.177	S20.178	S20.179	S20.180	S20.181	S20.182	S20.183	S20.184	S20.185	MAKE UP ROOM	DO NOT DISTURB
S20.188.EN	S20.189.EN	S20.190.EN	S20.191.EN	S20.192.EN	S20.193.EN	S20.194.EN	S20.195.EN	S20.196.EN	S20.197.EN	S20.198.EN	S20.199.EN	S20.200.EN	S20.201.EN	S20.202	S20.203.EN	
LIGHT	OPEN	CLOSE	ALARM	COME IN	BACH	STAIRS	BATHROOM	CELLAR	STOREROOM	ATTIC	TERRACE	OUTSIDE	GARDEN	GARAGE	GENERAL	

♦ symbols already used on push buttons available in the catalogue



Arké.

The symbols available for Eikon are also available for Arké, but with a graphic style coordinated with the series.

Library of standard symbols and wordings.








































































♦S19.001	S19.002	S19.003	S19.004	S19.005	S19.006	S19.007	S19.008	S19.009	S19.010	S19.011	S19.012	S19.013	S19.014	S19.015	S19.016	S19.017
											♦S19.029	S19.030	S19.031	S19.032	S19.033	S19.034
S19.018	S19.019	S19.020	S19.021	S19.022	S19.023	S19.024	S19.025	S19.026	S19.027	S19.028	♦S19.029	S19.030	S19.031	S19.032	S19.033	S19.034
														♦S19.049	S19.050	S19.051
S19.035	S19.036	S19.037	S19.038	♦S19.039	♦S19.040	S19.041	S19.042	S19.043	S19.044	S19.045	S19.046	S19.047	S19.048	♦S19.049	S19.050	S19.051
S19.052	♦S19.053	♦S19.054	♦S19.055	♦S19.056	♦S19.057	♦S19.058	♦S19.059	♦S19.060	S19.061	S19.062	S19.063	S19.064	S19.065	S19.066	S19.067	S19.068
				♦S19.073	♦S19.074	S19.075	S19.076	S19.077	S19.078	S19.079	S19.080	S19.081	S19.082	S19.083	S19.084	S19.085
S19.069	S19.070	S19.071	S19.072	♦S19.073	♦S19.074	S19.075	S19.076	S19.077	S19.078	S19.079	S19.080	S19.081	S19.082	S19.083	S19.084	S19.085
S19.086	S19.087	S19.088	S19.089	S19.090	S19.091	S19.092	S19.093	S19.094	S19.095	S19.096	S19.097	S19.098	S19.099	S19.100	S19.101	S19.102
														♦S19.117	S19.118	S19.119
S19.103	S19.104	S19.105	S19.106	S19.107	S19.108	S19.109	S19.110	S19.111	S19.112	S19.113	S19.114	S19.115	S19.116	♦S19.117	S19.118	S19.119
S19.120	S19.121	S19.122	S19.123	S19.124	S19.125	S19.126	S19.127	S19.128	S19.129	S19.130	S19.131	S19.132	S19.133	S19.134	S19.135	S19.136
S19.137	S19.138	S19.139	S19.140	S19.141	S19.142	S19.143	S19.144	S19.145	S19.146	S19.147	S19.148	S19.149	S19.150	S19.151	S19.152	S19.153
S19.154	S19.155	S19.156	S19.157	S19.158	S19.159	S19.160	S19.161	S19.162	S19.163	S19.164	S19.165	S19.166	S19.167	S19.168	S19.169	S19.170
					MAKE UP ROOM	DO NOT DISTURB	0	1	2	3	4	5	6	7	8	9
S19.171	S19.172	S19.173	S19.174	S19.175	S19.176	S19.177	S19.178	S19.179	S19.180	S19.181	S19.182	S19.183	S19.184	S19.185	S19.186	S19.187
LIGHT	OPEN	CLOSE	ALARM	COME IN	BACK	STAIRS	BATHROOM	CELLAR	STORE ROOM	ATTIC	TERRACE	OUTSIDE	GARDEN	GARAGE	GENERAL	
S19.188.EN	S19.189.EN	S19.190.EN	S19.191.EN	S19.192.EN	S19.193.EN	S19.194.EN	S19.195.EN	S19.196.EN	S19.197.EN	S19.198.EN	S19.199.EN	S19.200.EN	S19.201.EN	S19.202	S19.203.EN	



Idea.

The library of standard symbols includes the pictograms and wording identifying the main functions that can be controlled by the devices: from lights to roller shutters, from HVAC control to home automation scenarios.

Library of standard symbols and wordings.

																
◆ S16.001	S16.002	S16.003	S16.004	S16.011	◆ S16.029	S16.030	S16.031	S16.032	S16.033	S16.034	S16.035	S16.036	S16.037	S16.038	◆ S16.039	◆ S16.040
							ON	OFF								
S16.047	◆ S16.049	S16.050	S16.051	S16.052	◆ S16.053	◆ S16.054	◆ S16.055	◆ S16.056	◆ S16.057	◆ S16.058	◆ S16.059	◆ S16.060	S16.061	S16.062	S16.063	S16.064
																
S16.065	S16.066	S16.067	S16.068	S16.069	S16.070	S16.071	S16.072	◆ S16.073	◆ S16.074	S16.075	S16.076	S16.077	S16.078	S16.113	S16.114	S16.115
																
S16.116	◆ S16.117	S16.125	S16.126	S16.127	S16.152	S16.164	S16.170	S16.171	S16.172	S16.173	S16.174	S16.175	S16.176	S16.177	S16.178	S16.179
4	5	6	7	8	9	make up room	do not disturb	light	open	close	alarm	come in	back	stairs	bathroom	cellar
S16.180	S16.181	S16.182	S16.183	S16.184	S16.185	S16.186	S16.187	S16.188.EN	S16.189.EN	S16.190.EN	S16.191.EN	S16.192.EN	S16.193.EN	S16.194.EN	S16.195.EN	S16.196.EN
storeroom	attic	terrace	outside	garden	garage	general										
S16.197.EN	S16.198.EN	S16.199.EN	S16.200.EN	S16.201.EN	S16.202	S16.203.EN	S16.205	S16.206	S16.207	S16.208	S16.209					




























































































































































































◆ symbols already used on push buttons available in the catalogue



Piana.

The library of standard symbols includes the pictograms and wording identifying the main functions that can be controlled by the devices: from lights to roller shutters, from HVAC control to home automation scenarios.

Library of standard symbols and wordings.

																
◆ S14.001	S14.002	S14.003	S14.004	S14.005	S14.006	S14.007	S14.008	S14.009	S14.010	S14.011	S14.012	S14.013	S14.014	S14.015	S14.016	S14.017
																
S14.018	S14.019	S14.020	S14.021	S14.022	S14.023	S14.024	S14.025	S14.026	S14.027	S14.028	◆ S14.029	S14.030	S14.031	S14.032	S14.033	S14.034
																
S14.035	S14.036	S14.037	S14.038	◆ S14.039	◆ S14.040	S14.041	S14.042	S14.043	S14.044	S14.045	S14.046	S14.047	S14.048	◆ S14.049	S14.050	S14.051
																
S14.052	◆ S14.053	◆ S14.054	◆ S14.055	◆ S14.056	◆ S14.057	◆ S14.058	◆ S14.059	◆ S14.060	S14.061	S14.062	S14.063	S14.064	S14.065	S14.066	S14.067	S14.068
																
S14.069	S14.070	S14.071	S14.072	◆ S14.073	◆ S14.074	S14.075	S14.076	S14.077	S14.078	S14.079	S14.080	S14.081	S14.082	S14.083	S14.084	S14.085
																
S14.086	S14.087	S14.088	S14.089	S14.090	S14.091	S14.092	S14.093	S14.094	S14.095	S14.096	S14.097	S14.098	S14.099	S14.100	S14.101	S14.102
																
S14.103	S14.104	S14.105	S14.106	S14.107	S14.108	S14.109	S14.110	S14.111	S14.112	S14.113	S14.114	S14.115	S14.116	◆ S14.117	S14.118	S14.119
																
S14.120	S14.121	S14.122	S14.123	S14.124	S14.125	S14.126	S14.127	S14.128	S14.129	S14.130	S14.131	S14.132	S14.133	S14.134	S14.135	S14.136
																
S14.137	S14.138	S14.139	S14.140	S14.141	S14.142	S14.143	S14.144	S14.145	S14.146	S14.147	S14.148	S14.149	S14.150	S14.151	S14.152	S14.153
																
S14.154	S14.155	S14.156	S14.157	S14.158	S14.159	S14.160	S14.161	S14.162	S14.163	S14.164	S14.165	S14.166	S14.167	S14.168	S14.169	S14.170
																
S14.171	S14.172	S14.173	S14.174	S14.175	S14.176	S14.177	S14.178	S14.179	S14.180	S14.181	S14.182	S14.183	S14.184	S14.185	make up room	do not disturb
S14.186	S14.187															
light	open	close	alarm	come in	back	stairs	bathroom	cellar	storeroom	attic	terrace	outside	garden	garage	general	
S14.188.EN	S14.189.EN	S14.190.EN	S14.191.EN	S14.192.EN	S14.193.EN	S14.194.EN	S14.195.EN	S14.196.EN	S14.197.EN	S14.198.EN	S14.199.EN	S14.200.EN	S14.201.EN	S14.202	S14.203.EN	



Viale Vicenza, 14
36063 Marostica VI - Italy
Tel. +39 0424 488 600
Fax +39 0424 488 188
www.vimar.com