

PIXEL&PIXEL HEAVY



2 DUE FILI PLUS



Pixel.

Beauty and evolution.

IP54 IK08

The Pixel **modular entrance panel range with Due Fili Plus technology**, with a slim, modern design, have been expanded with **new audio** and **audio/video electronic units** and **front modules**, all designed to offer even more advanced performance and a superior user experience. Equipped with a new video sensor with 130° ultra-wide-angle lens and a superior-quality audio system. Affording extensive modular design possibilities and freedom of composition, Pixel can be ordered specifically as you want it, responding perfectly to actual installation needs.

New

Camera with ultra-wide-angle lens.
The audio/video module has a camera with a **130° ultra-wide-angle lens** and high-definition recording. A zoom function can also be set where multiple recording frames can be browsed.

New audio and **audio/video** electronic units for Pixel entrance panels with Due Fili Plus technology, superior-quality audio system and 130° ultra-wide-angle lens.

2 DUE FILI PLUS

Additional video input.
Both the audio and audio/video versions can be **connected to an additional CCTV camera**, via a dedicated input for an analogue video signal, thus expanding the control and security options of your system.



Auxiliary services.
In addition to the traditional 12 V output for the electrical lock, the new electronic units feature an **additional one-position stable relay output**, useful for controlling auxiliary functions, such as opening a vehicle entry or activating lighting.



IP IK **Impact resistance and degree of protection.**
Pixel, an aluminium entrance panel with high protection degree against atmospheric agents (IP54) and impact (IK08).

Modular design.
Owing to the availability of different-sized push buttons, Pixel can be composed freely to accommodate specific installation requirements.



Single axial button (one call)



Double axial button (two calls)



Double row single rocker button (four calls)



Pixel Heavy.

Beauty and strength.

IP54 IK09 IK10

Modular entrance panels with a slim, modern design. Pixel Heavy, in zamak, with a single special sable grey finish, which offers greater weather and impact resistance, with IK09 and IK10 protection degrees. Affording extensive modular design possibilities and freedom of composition, Pixel Heavy can be ordered specifically as you want it, responding perfectly to actual installation needs.

Video camera with wide-angle lens.
The audio/video module has a video camera with a wide-angle lens and high-definition recording. A zoom function can also be set from the indoor stations, where multiple recording windows can also be browsed.

Hard of hearing function and speech synthesis for visually impaired users.
The hard-of-hearing function allows hearing aid wearers to listen to the conversations directly in the hearing aid; the voice synthesis allows the blind and poor-signed to listen to a specially recorded vocal message reproduced by the entrance plate for each command.

IP IK **Impact resistance and degree of protection.**
Pixel Heavy, a zamak entrance panel with high protection degree against atmospheric agents (IP54) and impact (IK09 and IK10).

IP54 IK10

Pixel Heavy sable grey finish in the version with traditional push buttons.

IP54 IK09

Pixel Heavy sable grey finish in the version with display.



Modular design.
Owing to the availability of different-sized push buttons, Pixel can be composed freely to accommodate specific installation requirements.



Single button (two calls)



Button on double row (four calls)



Guide for expanding a video door entry system with Pixel Heavy entrance panel


Number of calls	Outdoor stations											Installation		
	Audio/video electronic unit	Push buttons							Alphanumeric			Mounting frame + cover plate	Mounting boxes	Surface mounting boxes with built-in rainproof cover
		Video front modules			Electronic expansion units + Front modules				Video front modules	Electronic expansion units + Front modules				
		41005	41270	41271	41272	41010	41223	41225		41221	41270			
1	1		1									1 x 41231	1 x 40291	1 x 41251
2	1			1										
3	1	1			1	1								
4	1	1			1		1							
5	1	1			1			1				1 x 41232	1 x 40292	1 x 41252
6	1		1		1			1						
7	1			1	1			1						
8	1	1			2	1		1						
9	1	1			2			2						
10	1	1			2			2				1 x 41233	1 x 40293	1 x 41253
11	1		1		2			2						
12	1			1	2			2						
13	1	1			3	1		2						
14	1	1			3			3				2 x 41232	2 x 40292	-
15	1	1			3			3						
16	1		1		3			3						
17	1			1	3			3						
18	1	1			4	1		3	1			2 x 41233	2 x 40293	-
19	1	1			4			4	1			1 x 41233	1 x 40293	1 x 41253
da 1 a 200 **	1								1	1	1	1 x 41233	1 x 40293	1 x 41253

** For systems with over 20 calls, please contact the sales network for advice regarding structure and additional system components.

*** From the second call, 1 distributor every 4 calls.



Sable grey



Supply unit	Video distributors	Installation	Indoor stations					
			Tab		Voxie		Entryphones (hands-free)	
			Video entryphones (handset)	Entryphones (handset)	Entryphones (handset)	Entryphones (hands-free)		
40110	692D	Flush mounting	Video entryphones (hands-free)		7549	7509	40540 (.D)	40547
			40517+40591 / 40517.04+40591					
			40515+40590 / 40515.04+40590					
			40517 / 40517.04					
			40505					
		Surface mounting	40515 / 40515.04		7548	7509	40540 (.D)	40547
			7559					
			7558					
			40517+40596 / 40517.04+40596					
			40505+40195					
Table	40515+40595 / 40515.04+40595		7549+753A+753B	7509+753A+753B	40540 (.D)+40598	40547+40598		
	7559+753A+753B							
	7558+753A+753B							
	7548+753A+753B							
			40517	7549	7509	40540	40547	
1	1						1	
1	1						2	
1	1						3	
1	1						4	
1	2						5	
1	2						6	
1	2						7	
1	2						8	
1	2						9	
1	3						10	
1	3						11	
1	3						12	
1	3						13	
1	4						14	
1	4						15	
1	4						16	
1	4						17	
1	5						18	
1	5						19	
1	***						da 1 a 200	

Tab 7S Up and Tab 5S Up, connected video entryphones and supervisors for the View Wireless system.



Energia Positiva. Insieme

