



## Multiple socket outlets: Multi-socket 16A 3FR+3USB+swit+Induction

### 00445.FR.CC.B

Portable installation / Plugs and socket outlets / Multiple socket outlets /  
Other multiple socket outlets

#### Multi-socket 16A 3FR+3USB+swit+Induction

2P+T 16 A 250 V~ portable multiple socket outlet, 3 SICURY socket outlets,  
French standard, 3 USB 5 VDC 2.4 A outputs, 5 VDC 1 A inductive charger,  
luminous 1-way switch, 1.5 m cable with 3 conductors size 1.5 mm<sup>2</sup> (3G1.5),  
2P+T 16 A German/French standard plug, white

- Induction base: it allows recharging, with easy contact and wireless mode, smartphones and tablets that employ the Qi standard, used by the most important phone producers
- 3 USB socket outlets 2,4 A and 3 Schuko sockets outlets can supply all devices that require a lot of power, such as printers or PCs, but also small plugs 10 A
- Plug 16 A and cable 1,5 m: the robust power cable 1,5 m length with axial heat-welded plug 16 A allows the right power supply to all socket outlets
- Security and energy optimization: the power supply switch ON/OFF allows complete disconnection of the mobile multiple socket outlet from the electrical supply, avoiding useless waste and damages from sudden voltage variations



3 - Active

1 NR



- **Class group:** Domestic switching devices
- **Class:** Socket outlet combination
- **Housing shape:** Other
- **Number of socket outlets CEE 7/1 (no protective contact):** 0
- **Number of socket outlets CEE 7/16 (EURO):** 0
- **Number of socket outlets with protective contact CEE 7/3 (type F):** 0
- **Number of socket outlets with earth pin:** 3
- **Number of cold device socket outlets:** 0
- **Number of socket outlets Italian standard type Bipasso:** 0
- **Number of socket outlets Italian standard type P11:** 0
- **Number of socket outlets Italian standard type P17:** 0
- **Number of NEMA-outlets:** 0
- **Number of socket outlets Swiss standard type 13:** 0
- **Number of socket outlets Swiss standard type 15:** 0
- **Number of socket outlets Swiss standard type 23:** 0
- **Number of socket outlets Swiss standard type 25:** 0
- **With on/off switch:** Yes
- **Residual current circuit breaker (RCCB):** No
- **Number of universal multi standard sockets:** 0
- **Mains filter:** No
- **Number of other socket outlets:** 3
- **Number of USB connections:** 3
- **Over voltage protection:** No
- **Nominal current:** 16 A
- **Core cross section:** 1,50
- **With cover:** No
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** No
- **Surface protection:** Untreated
- **Surface finishing:** Glossy
- **Colour:** White
- **RAL-number (similar):** 9010
- **Transparent:** No
- **Degree of protection (IP):** IP20
- **Length of power cord:** 1,50 m
- **Rotated central insert:** No
- **Angle rotated central insert:** Other
- **NEMA designation:** None

● 00. CE Marking - EU

● 99. WEEE Directive ([download](#))



8 007352636194

8007352636194  
1 NR  
13.5x13x10 [cm]  
553.33 [g]



8 007352636200

8007352636200  
12 NR  
30x29x33.5 [cm]  
6,640 [g]

Vimar