



Shared components: By-me home automation Light Gateway

01410

Smart systems&products / View smart system / Shared components / DIN devices

By-me home automation Light Gateway

IoT gateway for integration, configuration and local or remote maintenance of the By-me Plus home automation system, via IP/LAN network, Cloud and app for smartphone, tablet, PC or IP supervision touch screens, light version for max 32 By-me Plus devices, for DIN (60715 TH35) rail installation, occupies 4 17.5 mm modules





3 - Active

1 NR

- [Multilanguage instructions sheet \(1403 kb\)](#)
- [Manuale piattaforma View IoT Smart Syst. \(9599 kb\)](#)
- [Manuel installateur app View Pro \(6937 kb\)](#)
- [Manual del instalador View Pro \(6921 kb\)](#)
- [Installer manual View IoT Smart Systems \(7021 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(7114 kb\)](#)
- [Installationsanleitung View Pro \(6907 kb\)](#)
- [Manuale installatore Sistema By-me Plus \(28663 kb\)](#)
- [Manuel installateur By-me Plus \(21386 kb\)](#)
- [Manual del instalador By-me Plus \(21431 kb\)](#)
- [Installer manual By-me Plus System \(21577 kb\)](#)
- [Συνδεδεμένο σύστημα smart automation \(21922 kb\)](#)
- [Installationsanleitung By-me Plus \(21445 kb\)](#)

- FW_GatewayLight-DomoticaBy-me_REL-01.17.003_20240402.zip

- System synchronisation and delivery
- Integration with video door entry system
- Energy control
- Climate control
- Lights and roller shutters configuration
- System setup



3D

- Class group:** Installation bus systems
- Class:** System interface/media gateway for bus system
- Bus system KNX:** No
- Bus system KNX-RF (Radio Frequent):** No
- Bus system radio frequent:** No
- Bus system LON:** No
- Bus system Powernet:** No
- Other bus systems:** Other
- Radio frequent bidirectional:** No
- Model:** Ethernet interface
- Mounting method:** DRA (DIN-rail adapter)

- Width in number of modular spacings:** 4
- Demounting protection:** No
- With LED indication:** Yes
- Updateable:** Yes
- Protocol:** TCP/IP
- Provider dependent:** No
- Visualization:** No
- Web-Server:** Yes
- Radio interface:** No
- IR interface:** No
- Degree of protection (IP):** IP40

- 00. CE Marking - EU
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain

- 92. RoHS UAE
- 99. WEEE Directive ([download](#))



8 007352586123

8007352586123
1 NR
11.7x10.8x7.1 [cm]
174 [g]



8 007352590588

8007352590588
60 NR
59x38.5x30 [cm]
11,190 [g]

Vimar