



Shared components: Loads control module 3IN current sensor

01455

Smart systems&products / By-me Plus / Shared components / DIN devices

Loads control module 3IN current sensor

Load control module, 3 inputs for toroidal current sensor, measurable powers 25 W-100 kW, single phase power supply 120-230 V 50/60 Hz three phase 230/400 V 50/60 Hz, installation on DIN rail (60715 TH35), occupies 1 x 17.5 mm module. Supplied with toroidal current sensor 01457






3 - Active

1 NR

- [Multilanguage instructions sheet \(878 kb\)](#)
- [By-me automation-fw Compatibility \(206 kb\)](#)

- [Three-phase load control system with pho](#)
- [Single-phase load control system with ph](#)
- [Energy control](#)



3D



- **Class group:** Installation bus systems
- **Class:** Energy management for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** No
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** Other

- **Radio frequent bidirectional:** No
- **Model:** Other
- **Connection type:** Direct
- **Reactive power:** No
- **Approved according to PTB:** No
- **S0 impulse interface:** None
- **Tariff switch:** No

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 37. Marking - Morocco

- 43. UKCA mark - Great Britain
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))



8007352487918
1 NR
14.2x6.7x5.9 [cm]
122.2 [g]

Vimar