



Shared components: KNX 2 roller blinds actuator

01524


Smart systems&products / KNX / Shared components / DIN devices

KNX 2 roller blinds actuator

Actuator for 2 roller shutters, $\cos\phi$ 0.6 3,5 A 250 V~ motor relay outputs, KNX standard, installation on DIN rail (60715 TH35), occupies 4 17,5 mm modules

2 - Will be discontinued




1 NR



01523.1 - 250V 16A 4-output actuator KNX

- [Multilanguage instructions sheet \(543 kb\)](#)
- [Manuale installatore \(695 kb\)](#)

- [DB_ComponentiAutomazione_KNX_01.16_20210920.zip](#)
- [DB_ComponentiAutomazione_KNX_01.19_20230331.zip](#)



3D



- **Class group:** Installation bus systems
- **Class:** Shutting actuator for bus system
- **Bus system KNX:** Yes
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** No
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** None
- **Radio frequent bidirectional:** No
- **Mounting method:** Other
- **Width in number of modular spacings:** 4
- **With bus connection:** Yes
- **Bus module detachable:** No
- **Local operation/hand operation:** Yes
- **With LED indication:** Yes
- **Number of inputs:** 0
- **Switching current (resistive):** 16 A
- **Max. number of venetian-blind outputs:** 2
- **With switch function:** Yes
- **Type of current:** AC
- **Degree of protection (IP):** IP20
- 00. CE Marking - EU
- 27. KNX ([download](#))
- 37. Marking - Morocco
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))



8007352383593
1 NR
11.7x10.8x7.1 [cm]
254.1 [g]

Vimar