



Shared components: Dimmer 230V 2 outputs 300W/VA KNX

01526

Smart systems&products / KNX / Shared components / DIN devices

Dimmer 230V 2 outputs 300W/VA KNX

Dimmer 230 V~ 50-60 Hz for 2x300 W incandescent lamps, 2x300 VA ferromagnetic transformers, 2x300 VA electronic transformers, KNX standard, installation on DIN rail (60715 TH35), occupies 4 17,5 mm modules

2 - Will be discontinued




1 NR



01538 - Dimmer KNX 2
OUT200W LED 120-240V

- [Multilanguage instructions sheet \(630 kb\)](#)
- [Manuale installatore \(603 kb\)](#)

- [DB_ComponentiAutomazione_KNX_01.16_20210920.zip](#)
- [DB_ComponentiAutomazione_KNX_01.19_20230331.zip](#)



3D

- **Class group:** Installation bus systems
- **Class:** Light control unit for bus system
- **Bus system KNX:** Yes
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** No
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** None
- **Radio frequent bidirectional:** No
- **Mounting method:** Other
- **Width in number of modular spacings:** 4
- **With bus connection:** Yes
- **Local operation/hand operation:** No
- **With LED indication:** No
- **Max. switching current (resistive load):** 2 A
- **Max. switching power:** 300 W
- **Number of outputs:** 2
- **Degree of protection (IP):** IP20

- 00. CE Marking - EU
- 27. KNX
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))



8007352385788
1 NR
9.3x7.7x6.9 [cm]
243.2 [g]