



Shared components: Domotic touch-thermostat 2M black

02951

Smart systems&products / By-me Plus / Shared components / Devices

Domotic touch-thermostat 2M black

Touchscreen home automation system thermostat for ambient temperature control (heating and air-conditioning), 2 and 4 pipe system management, 3-speed and proportional fan-coil control, class I temperature control device (contribution 1%) in ON/OFF mode, class IV (contribution 2%) in PID mode, 1 input for flush-mounting or wired NTC temperature sensor, RGB LED backlighting, can be interfaced with actuator with proportional analogue outputs 01466 to make a class V modulating room thermostat (contribution 3%), to be completed with Eikon, Arké or Plana cover plates, black - 2 modules

- Ambient humidity control and display
- Also for managing underfloor systems - both single and two-tier - in heating and in cooling mode
- Highly reactive capacitive touch screen
- Ecometer function: for greater energy awareness
- Compatible with the Eikon, Arké and Plana series, the glass-look reflex design is available in three different colours






2 - Will be discontinued


1 NR

- [Quick Guide \(1499 kb\)](#)
- [Multilanguage instructions sheet \(225 kb\)](#)
- [By-me automation-fw Compatibility \(206 kb\)](#)

- [Climaenergy EasyTool Professional](#)
- [Climaenergy 21509](#)
- [Climate control](#)



3D



- **Class group:** Installation bus systems
- **Class:** Room temperature controller for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** No
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** Other
- **Radio frequent bidirectional:** No
- **Assembly arrangement:** Basic element
- **Mounting method:** Flush-mounted
- **With local operation:** Yes
- **With anti-theft/dismantling protection:** No
- **With LED indication:** No

- **With display:** Yes
- **Material:** Plastic
- **Material quality:** Other
- **Surface finishing:** Glossy
- **Colour:** Black
- **RAL-number (similar):** 9004
- **Transparent:** No
- **Manual set point setting:** Yes
- **Presence button:** No
- **Parallel-service possible:** No
- **Degree of protection (IP):** IP40
- **With bus connection:** Yes
- **Class of the temperature control:** V

- 00. CE Marking - EU
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain

- 92. RoHS UAE
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))



8 007352512405
 1 NR
 11.2x9.6x9.8 [cm]
 128.9 [g]



8 007352671164
 18 NR
 37.5x30x21 [cm]
 2,650 [g]

Vimar