



Surface mounting components: EnOcean RF device

03955

Smart systems&products / Smart switch&sound / Surface mounting components / Non-modular components

EnOcean RF device

4-button flat device with 868 MHz EnOcean standard radiofrequency transmitter, energy harvesting supply powered by built-in electrodynamic generator, to complete with Eikon 20506 or 20506.2, Arké 19506 or 19506.2 or Plana 14506 or 14506.2 buttons - 2 modules

3 - Active

1 NR





01796.2 - EnOcean 1-relay actuator



14506 - Button 1M for RF switch white - 2pieces



14506.SL - Button 1M for RF switch Silver - 2pieces



14506.2 - Button 2M for RF switch white




14506.2.SL - Button 2M for RF switch Silver



19506 - Button 1M for RF switch grey - 2pieces



19506.B - Button 1M for RF switch white - 2pieces




19506.M - Button 1M for RF switch Metal - 2pieces



19506.2 - Button 2M for RF switch grey




19506.2.B - Button 2M for RF switch white



19506.2.M - Button 2M for RF switch Metal



20506 - Button 1M for RF switch grey - 2pieces



20506.B - Button 1M for RF switch white - 2pieces



20506.N - Button 1M for RF switch Next - 2pieces




20506.2 - Button 2M for RF switch grey




20506.2.B - Button 2M for RF switch white



20506.2.N - Button 2M for RF switch Next




14507 - Frame 2M for RF device white



19507.CL - Frame RF device Classic plate grey




19507.RN - Frame RF device Round plate grey




19507.CL.B - Frame RF device Classic plate white




19507.RN.B - Frame RF device Round plate white




21507.1 - Frame for RF device grey



21507.1.B - Frame for RF device white



22507 - Frame for RF device
grey



22507.B - Frame for RF
device white

- [Multilanguage instructions sheet \(1362 kb\)](#)

- [Radio frequency controls](#)

- **Class group:** Installation bus systems
- **Class:** Light control unit for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** Yes
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** None
- **Radio frequent bidirectional:** No

- **Mounting method:** Surface mounted
- **Width in number of modular spacings:** 2
- **With bus connection:** No
- **Substation input:** No
- **Local operation/hand operation:** No
- **With LED indication:** No
- **Interface 1-10 V:** No
- **Number of inputs for light sensor:** 0
- **Degree of protection (IP):** IP40

- 00. CE Marking - EU ([download](#))
- 10. EAC Eurasian Customs Union
- 10. EAC Eurasian Customs Union

- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 99. WEEE Directive ([download](#))



8007352596078
1 NR
5.1x4.3x5.3 [cm]
36.4 [g]



8007352596085
6 NR
14.4x11.6x6 [cm]
263.2 [g]

Vimar