



## NEVE UP: 2P+E13ASICURY multistandard outlet white

**09257**

Wiring devices / Traditional wiring devices / NEVE UP / Devices

### 2P+E13ASICURY multistandard outlet white


2P+T 13 A 250 V~ multi-standard socket outlet, white - 2 modules

3 - Active

20 NR



09470 - Dial thermostat 100-240V 2M white




09026.PLS - Button 1M +diffuser PLS symb.white



09026.DND - Button 1M +diffuser DND symb.white



09463 - Vertical badge switch 2M white



09290 - Shaver supply unit 230V white



09465 - Vertical pocket badge switch white






09052 - 1P NO 10A cord-operated push white



09181 - IR relay-switch 230V white

- [Multilanguage instructions sheet \(841 kb\)](#)



3D

- **Class group:** Domestic switching devices
- **Class:** Socket outlet
- **Model:** Other
- **Number of modules (module system):** 2
- **Number of socket outlets switchable:** 0
- **With hinged lid:** No
- **Label space/information surface:** Yes
- **Colour:** White
- **RAL-number (similar):** 9003
- **Metallic colour:** No
- **Transparent:** No
- **Lockable:** No
- **Eject-mechanism:** No
- **Insulated mounting:** No
- **Mounting method:** Flush-mounted

- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Surface protection:** Untreated
- **Surface finishing:** Glossy
- **Anti-bacterial treatment:** No
- **With loop through function:** No
- **With on/off switch:** No
- **Rotated central insert:** No
- **Nominal current:** 13 A
- **Nominal voltage:** 250 V
- **Frequency:** 50,00 - 60,00 HZ
- **Device width:** 44,80 mm
- **Device height:** 47,00 mm
- **Device depth:** 28,20 mm

- 00. CE Marking - EU
- 10. EAC Eurasian Customs Union

- 37. Marking - Morocco
- 99. WEEE Directive ([download](#))



8007352655102  
1 NR  
5.1x4.3x5.3 [cm]  
50.5 [g]



8007352655119  
20 NR  
26.9x11.6x9 [cm]  
1,092 [g]



8007352655126  
240 NR  
38x28.5x35.5 [cm]  
13,524 [g]

Vimar