



## PLANA: Connected RFID outer switch white

---

**14462**

Wiring devices / View Wireless wiring devices / PLANA / Devices

### **Connected RFID outer switch white**




RFID smart card landing reader, card configuration using View Wireless App, Bluetooth technology standard, IoT technology on Bluetooth technology 5.0 standard for the creation of View Wireless mesh system, 1 relay output NO 16 A 100-240 V~ 50/60 Hz, 1 DND input, LED with brightness control, 100-240 V~ 50/60 Hz power supply, white - 2 modules

3 - Active

1 NR



- [Light Multilanguage instructions sheet \(780 kb\)](#)
- [Full Multilanguage instructions sheet \(1333 kb\)](#)
- [Manuale app View Wireless \(15556 kb\)](#)
- [Manuel appli View Wireless \(37703 kb\)](#)
- [Manual app View Wireless \(37528 kb\)](#)
- [Manual View Wireless app \(37579 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(37781 kb\)](#)
- [Installationsanleitung View Wireless \(37508 kb\)](#)
- [Manuale installatore Portale View Vimar \(3245 kb\)](#)
- [Manuel Portail View Vimar \(2101 kb\)](#)
- [Manual Portal Vimar View \(2069 kb\)](#)
- [Vimar View Portal installer manual \(2173 kb\)](#)
- [Εγχειρίδιο χρήσης Πύλη View Vimar \(2210 kb\)](#)
- [Bedienungsanleitung Portal View Vimar \(2182 kb\)](#)



3D

- **Class group:** Alarm installations, emergency call and signalling
- **Class:** Access control system
- **Standalone:** Yes
- **Networkable:** No
- **PC-binding:** No
- **Type of interface:** Other
- **Max. number of persons:** 200
- **Reading strategy:** Code
- **Signalling:** Light signal
- **Mounting method:** Flush-mounted

- **Operating voltage AC 50 Hz:** 230,00 - 230,01 V
- **Operating voltage AC 60 Hz:** 230,00 - 230,01 V
- **Degree of protection (IP):** IP20
- **Colour:** White
- **Model:** Reader
- **Material:** Plastic
- **Power over Ethernet (PoE):** Other
- **Width:** 44,80 mm
- **Height:** 49,00 mm
- **Depth:** 41,50 mm

- 00. CE Marking - EU ([download](#))
- 37. Marking - Morocco
- 40. Bluetooth technology

- 43. UKCA mark - Great Britain
- 99. WEEE Directive ([download](#))



8007352659711  
1 NR  
6x5.4x5.2 [cm]  
74.6 [g]



8007352663077  
10 NR  
28.1x13.1x6 [cm]  
822.6 [g]

Vimar