



## ARKÉ: Axial 1P 16AX 1-way switch 2M Metal

---

### 19101.2.M


Wiring devices / Traditional wiring devices / ARKÉ / Devices

### Axial 1P 16AX 1-way switch 2M Metal

Axial 1P 16 AX 250 V~ 1-way switch, lightable, replaceable button, Metal - 2 modules. Max 200 W for self-ballasted lamps (IEC 60669-1:2017)

2 - Will be discontinued

10 NR



19100.2.M - Axial 1P 10AX 1-way switch 2M Metal



00938.A - LED unit 110-250V  
0,3Waxialcontrol amber



00938.G - LED unit 110-250V  
0,3Waxialcontrol green



00938.R - LED unit 110-250V  
0,3Waxialcontrol red






00938.B - LED unit 110-250V  
0,3Waxialcontrol blue



00938.W - LED unit 110-250V  
0,3Waxialcontrol white

- Arké lives in your time



3D

- **Class group:** Domestic switching devices
- **Class:** Installation switch
- **Wiring system:** Off switch 1-pole
- **Method of operation:** Rocker/button
- **Assembly arrangement:** Modular device for domestic switching devices
- **Number of modules (module system):** 2
- **Push button switch:** Yes
- **Number of rockers:** 0
- **Mounting method:** Flush-mounted
- **Type of fastening:** Engage (snap)
- **With mounting plate:** No
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Surface protection:** Lacquered
- **Surface finishing:** Matt

- **Colour:** Aluminium
- **RAL-number (similar):** 9007
- **Label space/information surface:** Yes
- **Illumination:** Optional
- **Function lighting:** Control and orientation
- **Type of lighting:** LED exchangeable
- **Suitable for degree of protection (IP):** IP40
- **Nominal voltage:** 250 V
- **Rated current:** 16,00 A
- **Feedback-signal contact:** No
- **Connection type:** Screwed terminal
- **Washing machine switch:** No
- **Device width:** 44,80 mm
- **Device height:** 49,00 mm
- **Device depth:** 36,80 mm
- **Built-in depth:** 25,00 mm

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 10. EAC Eurasian Customs Union
- 13. SNI - Indonesia
- 14. TSE - Turkey
- 15. CCC - China ([download](#))

- 29. QCERT - Colombia
- 31. TISI - Thailand
- 36. ISI - India
- 37. Marking - Morocco
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))



8007352600065  
1 NR  
5.1x4.8x5.3 [cm]  
40.9 [g]



8007352600072  
10 NR  
24.7x11x6.2 [cm]  
472.8 [g]