



## EIKON: Axial 1P 16AX 1-way switch Next

### 20101.N

Wiring devices / Traditional wiring devices / EIKON / Devices

#### Axial 1P 16AX 1-way switch Next

Axial 1P 16 AX 250 V~ 1-way switch, lightable, replaceable button, Next. Max 200 W for self-ballasted lamps (IEC 60669-1:2017)



3 - Active

20 NR



00938.A - LED unit 110-250V 0,3Waxialcontrol amber



00938.G - LED unit 110-250V 0,3Waxialcontrol green






00938.R - LED unit 110-250V 0,3Waxialcontrol red



00938.B - LED unit 110-250V 0,3Waxialcontrol blue



00938.W - LED unit 110-250V 0,3Waxialcontrol white



3D

- **Class group:** Domestic switching devices
- **Class:** Installation switch
- **Wiring system:** Off switch 1-pole
- **Method of operation:** Rocker/button
- **Assembly arrangement:** Modular device for domestic switching devices
- **Number of modules (module system):** 1
- **Push button switch:** Yes
- **Number of rockers:** 0
- **Mounting method:** Flush-mounted
- **Type of fastening:** Engage (snap)
- **With mounting plate:** No
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Surface protection:** Lacquered
- **Surface finishing:** Matt
- **Colour:** Silver
- **RAL-number (similar):** 9022
- **Label space/information surface:** Yes
- **Illumination:** Optional
- **Function lighting:** Control and orientation
- **Type of lighting:** LED exchangeable
- **Suitable for degree of protection (IP):** IP40
- **Nominal voltage:** 250 V
- **Rated current:** 16,00 A
- **Feedback-signal contact:** No
- **Connection type:** Screwed terminal
- **Washing machine switch:** No
- **Device width:** 22,30 mm
- **Device height:** 49,00 mm
- **Device depth:** 44,00 mm
- **Built-in depth:** 34,50 mm
- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 10. EAC Eurasian Customs Union
- 14. TSE - Turkey
- 15. CCC - China ([download](#))
- 20. IQC - Argentina
- 29. QCERT - Colombia
- 31. TISI - Thailand
- 34. PSE - Japan
- 36. ISI - India
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))



8 007352459861

8007352459861  
1 NR  
5.1x2.8x5.3 [cm]  
28.4 [g]



8 007352459878

8007352459878  
20 NR  
27x11.6x6 [cm]  
637 [g]



8 007352651319

8007352651319  
120 NR  
37.5x30x13.5 [cm]  
4,176 [g]

Vimar