



EIKON: Quid -Rolling shutters 2-way switch Next

20196.N

Wiring devices / Traditional wiring devices / EIKON / Devices

Quid -Rolling shutters 2-way switch Next

Quid electronic switch for centralised operation of roller shutter with slat orientation with relay outputs for cosφ 0.6 motor 2 A 220-240 V~ 50/60 Hz, position saving, Next

3 - Active

10 NR






03992 - Quid - Step relay module 10A+reset



03997 - Quid rolling shutters module

- Light Multilanguage instructions sheet (1184 kb)
- Foglio istruzioni Full (1011 kb)
- Feuille d'instructions Full (1012 kb)
- Hoja de instrucciones Full (1011 kb)
- Full instructions sheet (1010 kb)
- Φυλλάδιο οδηγιών Full (1024 kb)
- Anweisungsblatt Full (1012 kb)
- Full (1066 kb)



3D

- **Class group:** Domestic switching devices
- **Class:** Push button
- **Assembly arrangement:** Modular device for domestic switching devices
- **Model:** Group push button
- **Method of operation:** Push button
- **Number of rockers:** 1
- **Number of modules (module system):** 100
- **Number of poles:** 2
- **Rated current:** 5,00 A
- **With lighting:** Yes
- **Feedback-signal contact:** No
- **Mounting method:** Flush-mounted

- **Type of fastening:** Engage (snap)
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Surface protection:** Lacquered
- **Surface finishing:** Matt
- **Colour:** Silver
- **RAL-number (similar):** 9016
- **Transparent:** No
- **Label space/information surface:** Yes
- **Device height:** 49,00 mm
- **Device depth:** 51,00 mm

- 00. CE Marking - EU
- 01. IMQ - Italy
- 37. Marking - Morocco

- 43. UKCA mark - Great Britain
- 99. WEEE Directive ([download](#))



8007352623156
1 NR
5.1x4.3x5.3 [cm]
45.2 [g]



8007352623163
10 NR
26.9x11.6x4.9 [cm]
473 [g]



8007352623729
200 NR
47.5x27x29 [cm]
9,580 [g]

Vimar