



## EIKON: 2P+E 16A P17/11 outlet white

**20203.B**

Wiring devices / Traditional wiring devices / EIKON / Devices

### 2P+E 16A P17/11 outlet white




2P+E 16 A 250 V~ SICURY Bpresa socket outlet, Italian standard P17/11, white

3 - Active

50 NR



20593.B - 16 A IoT  
connected actuator white



3D



- **Class group:** Domestic switching devices
- **Class:** Socket outlet
- **Model:** Italian type Bipasso
- **Number of units:** 1
- **Number of modules (module system):** 1
- **Number of socket outlets switchable:** 0
- **Imprint/indication:** None
- **Connection type:** Screwed terminal
- **With hinged lid:** No
- **With enhanced contact protection:** Yes
- **Label space/information surface:** Yes
- **Colour:** White
- **RAL-number (similar):** 9016
- **Metallic colour:** No
- **Transparent:** No
- **Lockable:** No
- **Eject-mechanism:** No
- **Insulated mounting:** No
- **With function lighting:** No
- **Over voltage protection:** No
- **Fault current protection:** No
- **Mounting method:** Flush-mounted
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **With loop through function:** No
- **With on/off switch:** No
- **Rotated central insert:** No
- **Nominal current:** 16 A
- **Nominal voltage:** 250 V
- **Frequency:** 50,00 - 60,00 HZ
- **Suitable for degree of protection (IP):** IP20
- **Impact strength:** Other
- **Device width:** 22,30 mm
- **Device height:** 49,00 mm
- **Device depth:** 34,50 mm
- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 10. EAC Eurasian Customs Union
- 37. Marking - Morocco
- 50. Product Environm. Profile
- 99. WEEE Directive ([download](#))



8007352314030  
 1 NR  
 4.1x2.8x5.3 [cm]  
 30 [g]



8007352314047  
 50 NR  
 21.6x11.6x14.3 [cm]  
 1,593 [g]



8007352352261  
 500 NR  
 57.5x22.5x30 [cm]  
 16,430 [g]



8007352352278  
 10,500 NR  
 80x120x103 [cm]  
 330,800 [g]

Vimar