



EIKON: 2P+E 16A P17/11 outlet Next

20203.N

Wiring devices / Traditional wiring devices / EIKON / Devices

2P+E 16A P17/11 outlet Next




2P+E 16 A 250 V~ SICURY Bpresa socket outlet, Italian standard P17/11, Next

3 - Active

50 NR



20593.N - 16 A IoT
connected actuator Next



3D



- **Class group:** Domestic switching devices
- **Class:** Socket outlet
- **Model:** Italian type Bipasso
- **Number of units:** 1
- **Number of modules (module system):** 1
- **Number of socket outlets switchable:** 0
- **Imprint/indication:** None
- **Connection type:** Screwed terminal
- **With hinged lid:** No
- **With enhanced contact protection:** Yes
- **Label space/information surface:** Yes
- **Colour:** Silver
- **RAL-number (similar):** 9022
- **Metallic colour:** No
- **Transparent:** No
- **Lockable:** No
- **Eject-mechanism:** No
- **Insulated mounting:** No
- **With function lighting:** No
- **Over voltage protection:** No
- **Fault current protection:** No
- **Mounting method:** Flush-mounted
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Surface protection:** Lacquered
- **Surface finishing:** Matt
- **With loop through function:** No
- **With on/off switch:** No
- **Rotated central insert:** No
- **Nominal current:** 16 A
- **Nominal voltage:** 250 V
- **Frequency:** 50,00 - 60,00 HZ
- **Suitable for degree of protection (IP):** IP20
- **Impact strength:** Other
- **Device width:** 22,30 mm
- **Device height:** 49,00 mm
- **Device depth:** 34,50 mm
- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 10. EAC Eurasian Customs Union
- 37. Marking - Morocco
- 50. Product Environm. Profile
- 99. WEEE Directive ([download](#))



8 007352285811

8007352285811
1 NR
4.1x2.8x5.3 [cm]
30.8 [g]



8 007352285828

8007352285828
50 NR
21.6x11.6x14.3 [cm]
1,592 [g]



8 007352352247

8007352352247
500 NR
57.5x22.5x30 [cm]
16,432 [g]



8 007352352254

8007352352254
10,500 NR
80x120x103 [cm]
329,400 [g]

Vimar