



EIKON: IR presence detector grey

20485

Smart systems&products / By-me Plus / EIKON / Devices




IR presence detector grey

Passive infrared motion detector, grey - 2 modules

3 - Active

1 NR

- [Light Multilanguage instructions sheet \(712 kb\)](#)
- [Full Multilanguage instructions sheet \(1175 kb\)](#)
- [By-me burglar alam-fw Compatibility \(99 kb\)](#)



3D



- **Class group:** Installation bus systems
- **Class:** Movement sensor for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** No
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** Other
- **Radio frequent bidirectional:** No
- **Model:** Movement sensor
- **Mounting method:** Flush-mounted
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **Colour:** Grey
- **RAL-number (similar):** 7024
- **Transparent:** No
- **With bus connection:** Yes
- **Substation input:** No
- **Creep-under protection:** No
- **Operation mode switch:** No
- **Animal zone:** No
- **Staircase light controller:** No
- **Response value luminosity adjustable:** Yes
- **Teach-function for response value luminosity:** No
- **Switch-off delay self-learning:** No
- **DALI-2 certified:** No
- **Optimum mounting height:** 1,20 m
- **Max. reach sideways:** 0,00 m
- **Max. reach frontally:** 10 m
- **Diameter reach on floor:** 0 m
- **Detection angle vertical:** 0 - 36
- **Detection angle horizontal:** 0,00 - 112,00
- **Number of channels:** 1
- **Switching power:** 0 W
- **Min. switch-on time:** 10 s
- **Max. duty cycle:** 250 min
- **Min. depth of built-in installation box:** 30 mm
- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 46. UK PSTI compliance ([download](#))
- 96. Electrotechnical expert ([download](#))
- 99. WEEE Directive ([download](#))



8007352251755
1 NR
11.2x9.6x9.8 [cm]
118.87 [g]

Vimar