



EIKON: IoT connected dimmer mechanism 220-240V

20595.0

Wiring devices / View Wireless wiring devices / EIKON / Devices

IoT connected dimmer mechanism 220-240V

- Compatible with both LE and TE dimmable lamps
- Also configurable as a 1-way switch pending the installation of a dimmable lamp
- Bluetooth mode compatible with Amazon Alexa, Google Assistant, Apple Homekit and IFTTT voice assistants, via the dedicated Vimar gateway
- Zigbee mode compatible with the Amazon Alexa voice assistant, via Amazon Zigbee hub



3 - Active

1 NR



20755.3 - 2 half buttons 1M
dimmer grey






20755.3.B - 2 half buttons
1M dimmer white



20755.3.N - 2 half buttons
1M dimmer Next

- Light multilanguage instructions sheet (1332 kb)
- Foglio istruzioni multilingua Full (677 kb)
- Feuille d'instructions multilingues Full (677 kb)
- Hoja de instrucciones multilingüe Full (674 kb)
- Full Multilanguage instructions sheet (670 kb)
- Πολυγλωσσικό φύλλο οδηγιών Full (878 kb)
- Mehrsprachig-Gebrauchsinformation Full (675 kb)
- Full (750 kb)
- Manuale app View Wireless (15556 kb)
- Manuel appli View Wireless (37703 kb)
- Manual app View Wireless (37528 kb)
- Manual View Wireless app (37579 kb)
- Εγχειρίδιο τεχνικού εγκατάστασης (37781 kb)
- Installationsanleitung View Wireless (37508 kb)



3D



- **Class group:** Domestic switching devices
- **Class:** Installation switch
- **Wiring system:** Other
- **Method of operation:** Rocker/button
- **Assembly arrangement:** Modular device for domestic switching devices
- **Number of modules (module system):** 1
- **Push button switch:** Yes
- **Number of rockers:** 1
- **Mounting method:** Flush-mounted
- **Type of fastening:** Engage (snap)
- **With mounting plate:** No
- **Material:** Plastic
- **Material quality:** Thermoplastic
- **Halogen free:** Yes
- **Anti-bacterial treatment:** No
- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **Colour:** Anthracite
- **RAL-number (similar):** 7024

- **Label space/information surface:** No
- **Illumination:** Yes
- **Function lighting:** Other
- **Type of lighting:** LED not exchangeable
- **Suitable for degree of protection (IP):** IP40
- **Nominal voltage:** 240 V
- **Feedback-signal contact:** No
- **Connection type:** Screwed terminal
- **Heating switch:** No
- **Washing machine switch:** No
- **Device width:** 22,30 mm
- **Device height:** 49,00 mm
- **Device depth:** 46,90 mm
- **Built-in depth:** 37,50 mm
- **Min. depth of built-in installation box:** 42,00 mm
- **Compatible with Apple HomeKit:** Yes
- **Compatible with Google Assistant:** Yes
- **Compatible with Amazon Alexa:** Yes
- **IFTTT support available:** Yes

- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 06. SUBTEL - Chile
- 37. Marking - Morocco
- 40. Bluetooth technology

- 42. Zigbee certified
- 43. UKCA mark - Great Britain
- 92. RoHS UAE
- 99. WEEE Directive ([download](#))



8007352707993
1 NR
6x5.4x5.2 [cm]
44.3 [g]



8007352708006
60 NR
37.5x30x13.5 [cm]
3,150.6 [g]