



LINEA: IoT connected mechanism

30801

Wiring devices / View Wireless wiring devices / LINEA / Devices


IoT connected mechanism

VIEW Wireless electronic control mechanism, local control with push button, double IoT technology on Bluetooth 5.0 standard for the creation of VIEW Wireless mesh system and on Zigbee 3.0 standard, RGB LED visible in darkness with brightness control, 100-240 V 50/60 Hz power supply, to be completed with Linea 1-module interchangeable buttons




3 - Active

1 NR




30807.B - IoT connected
Gateway 2M white




30807.C - IoT connected
Gateway 2M canvas



30807.G - IoT connected
Gateway 2M black




31000.B - Button 1M aligned
white




31000.C - Button 1M aligned
Canvas



31000.G - Button 1M aligned
1M black




31000A.B - Axial button 1M
white



31000A.C - Axial button 1M
canvas



31000A.G - Axial button 1M
black




31000S.B - White lower 1M
path light button



31000S.C - Lower 1M path
light button Canvas




31000S.G - Black lower 1M
path light button



31000A.FB - Axial button 1M
arrow symbol white



31000A.FC - Axial button 1M
arrow symbol canvas



31000A.FG - Axial button 1M
arrow symbol black




31000A.RB - Axial button 1M
dimmer symbol white




31000A.RC - Axial button 1M
dimmer symbol black



31000A.RG - Axial button 1M
dimmer symbol black



31000.LB - Button 1M light
symbol white




31000.LC - Button 1M light
symbol Canvas



31000.LG - Button 1M light
symbol black



31000A.SB - Axial button 1M
scenario symbol white






31000A.SC - Axial button 1M
scenario symbol canvas



31000A.SG - Axial button 1M
scenario symbol black

- Light Multilanguage instructions sheet (680 kb)
- Foglio istruzioni Full (505 kb)
- Full instructions sheet (503 kb)
- Φυλλάδιο οδηγιών Full (647 kb)
- Anweisungsblatt Full (507 kb)
- Full (560 kb)
- Feuille d'instructions Full (509 kb)
- Hoja de instrucciones Full (506 kb)
- Manuale app View Wireless (19181 kb)
- Manual View Wireless app (40958 kb)
- Manual app View Wireless (40735 kb)
- Manuel appli View Wireless (40963 kb)
- Εγχειρίδιο τεχνικού εγκατάστασης (41171 kb)
- Installationsanleitung View Wireless (40768 kb)

- Creating-the-system
- Customisations
- Bluetooth-wifi-gateway




3D

- **Class group:** Domestic switching devices
- **Class:** Installation switch
- **Material:** Plastic
- **Material quality:** Thermoplastic

- **Surface protection:** Untreated
- **Surface finishing:** Matt
- **Colour:** Grey
- **RAL-number (similar):** 7023

- 00. CE Marking - EU ([download](#))
- 01. IMQ - Italy ([download](#))
- 37. Marking - Morocco
- 40. Bluetooth technology
- 46. UK PSTI compliance ([download](#))
- 47. Works with SmartThings
- 99. WEEE Directive ([download](#))



8007352707177
1 NR
5.1x3.5x5.5 [cm]
29.8 [g]



8007352744813
60 NR
27x23x12.5 [cm]
1,978 [g]

Vimar