



IP: IP MiniDome cam - 5Mpx FF 2,8mm Mic A.V.


4624.028EAE

Safety / ELVOX CCTV / IP / Cameras

IP MiniDome cam - 5Mpx FF 2,8mm Mic A.V.

3 - Active


1 NR



[46917.005 - Pole bracket IP
cams](#)

- [Multilanguage instructions sheet \(1861 kb\)](#)
- [IP camera management - Installer manual \(14979 kb\)](#)
- [Video Analysis Configuration on IP cam. \(9120 kb\)](#)

- [SW_DiskCalculator_TVCC_EN_REL-01.00_20170419.zip](#)
- [SW_IPTOOL_TVCC_EN_REL-01.00_20170419.zip](#)



- **Class group:** Alarm installations, emergency call and signalling
- **Class:** Camera for surveillance system
- **Model:** Standard (Fixed)
- **Mounting method:** Wall/ceiling
- **Scope of application:** Universal
- **Transmission:** Other
- **Protocol:** TCP/IP
- **Power over Ethernet (PoE):** 802.3 af (PoE)
- **Picture system:** PAL
- **Property picture system:** Colour
- **Focal size:** 0,00 - 2,80 mm
- **Colour:** White
- **Wireless:** No
- **Type of interface:** Wi-Fi
- **Number of pixels (Megapixel):** 5
- **Memory capacity:** 256
- **With lens:** Yes
- **With IR lamp:** Yes
- **Max. infrared reach:** 20 m
- **Number of digital inputs:** 0
- **Number of digital outputs:** 0
- **Number of audio inputs:** 1
- **Number of audio outputs:** 0
- **Vandal proof:** Yes
- **Impact strength:** IK10
- **With video motion detector:** Yes
- **Degree of protection (IP):** IP67
- **Horizontal field of view:** 30,00 - 95,00
- **Power consumption:** 420,00 W
- **Supply voltage:** 12,00 - 12,01 V
- **Voltage type:** DC
- **Diameter:** 11.000,00 mm
- **Height:** 60,00 mm
- **Width:** 11.000,00 mm
- **Depth:** 110,00 mm
- **Compatible with Apple HomeKit:** No
- **Compatible with Google Assistant:** No
- **Compatible with Amazon Alexa:** No
- **IFTTT support available:** No
- **ONVIF-compliant:** Yes
- 00. CE Marking - EU
- 37. Marking - Morocco
- 45. NDAA compliant
- 99. WEEE Directive ([download](#))



8007352712805
1 NR
11.5x12x8.5 [cm]
419 [g]

Vimar