



Video: Video Kit 7inTS 1F RFID multi-plug

K42915

ELVOX Door entry system / Other video door entry systems / Video / Video kits

Video Kit 7inTS 1F RFID multi-plug

Surface mounting video door entry kit containing 1 hands-free 7in LCD colour touch screen video entryphone, 1 RFID audio/video entrance panel with 1 push button and rain-proof frame, 1 24 VDC 1 A power supply unit with European, UK, US and Australian standard interchangeable plugs, complete with brackets for wall mounting



3 - Active

1 NR



42920.P - Plate for 7in Video kit with RFID reader



40104 - Supply unit 100-240V~24Vdc 1A EU UK AU US



K42917 - 7in video touch internal unit plug-in



K42912 - 7in video internal unit plug-in supply



K42932 - Additional 7in monitor DIN power supply



K42917 - 7in video touch internal unit plug-in



K42937 - Additional 7inTSmonitor DIN power supply



K42947 - 7in TS Wi-Fi monitor multiplug



K42957 - 7in TS Wi-Fi monitor DIN supply un.



42920.P - Plate for 7in Video kit with RFID reader



42920.D - Bus distributor 4 outs Video RFID kit



42920.K - 1-2-4 button kit for RFID Video kit plat



40169 - 7 Mifare RFID keys



46CAM.136B.8 - Bullet IR AHD cam1080p 3,6mm lens CVBS

Multilanguage User Manual (7358 kb)

- **Class group:** Communication technique
- **Class:** Door station set
- **With video:** Yes
- **Number of indoor stations:** 1
- **Number of outdoor stations:** 1
- **Number of call buttons:** 1
- **Installation technique:** 2-wire
- **Mounting method indoor station:** Surface mounted
- **Colour indoor station:** White
- **Mounting method outdoor station:** Surface mounted
- **Material outdoor station:** Aluminium
- **Colour outdoor station:** Grey
- **Expandable to max. number of indoor stations:** 12
- **Expandable to max. number of outdoor stations:** 2
- **Picture system:** PAL
- **Property picture system:** Colour
- **Overhear protected:** Yes

- **Can be connected to smartphone:** No
- **Internal communication:** Yes
- **Hands free:** Yes
- **With day/night function:** No
- **Opening angle camera:** 130
- **Zoom, pan/tilt function:** No
- **With memory function:** Yes
- **Screen diagonal:** 178,00 mm
- **Screen diagonal (inch):** 7
- **Manual adjustable camera:** No
- **Label space/information surface:** Yes
- **Hearing aid compatible:** No
- **Suitable for disabled persons:** Yes
- **Compatible with Apple HomeKit:** No
- **Compatible with Google Assistant:** No
- **Compatible with Amazon Alexa:** No
- **IFTTT support available:** No

- 00. CE Marking - EU ([download](#))
- 37. Marking - Morocco

- 99. WEEE Directive ([download](#))



8007352742444
1 NR
26.5x10.8x20 [cm]
1,460 [g]



8007352742451
4 NR
45.5x28.3x23.2 [cm]
5,840 [g]

Vimar