



## Adaptors: Vert.S17 adaptor +3Universal outs white

### RI.00315.B

Portable installation / Plugs and socket outlets / Adaptors / Residential adaptors

### Vert.S17 adaptor +3Universal outs white

250 V~ SICURY vertical staggered multiway adaptor - max 1500 W, 2P+T 16 A Italian standard type S17 plug, three 2P+T 16 A universal Italian standard type P40 socket outlets, white

- Triple universal socket outlet P40
- Space-saving thanks to the side socket outlets directed to take up less space with the plugs inserted
- Staggered so that the product does not obstruct close socket outlets or switches






3 - Active

12 NR



RI.00316.B - Vert.S31  
adaptor +3Universal outs  
white



3D



- **Class group:** Domestic switching devices
  - **Class:** Plug adapter
  - **Model:** Compact
  - **With plug for AU/NZ/PG/AR (AS/NZS 3112) (type I):** No
  - **With plug for BE/DE/NL/RU (protective contact CEE 7/4, type F):** No
  - **With plug for FR (earth pin) (type E):** No
  - **With plug for UK/HK (BS 1363) (type G):** No
  - **With plug for IT (S/P 11):** No
  - **With plug for IT (S/P 17) (type L):** Yes
  - **With plug for US/CA/CN (NEMA 1-15) (type A):** No
  - **With plug for US/CA/CN (NEMA 5-15) (type B):** No
  - **Type of bus:** Other
  - **Number of USB ports:** 0
  - **Colour:** White
  - **Nominal voltage:** 230,00 - 230,01 V
  - **Nominal current:** 0,00 - 16,00 A
- 
- 00. CE Marking - EU
  - 03. CSV-IMQ - Italy
  - 37. Marking - Morocco
  - 99. WEEE Directive ([download](#))



8 007352613294

8007352613294  
1 NR  
9x8x5 [cm]  
100 [g]



8 007352613256

8007352613256  
12 NR  
28.4x18.4x11.6 [cm]  
1,400 [g]



8 007352613263

8007352613263  
144 NR  
38x58x37 [cm]  
18,200 [g]

Vimar