



## Connector block boxes: Flush mounting box 5M light blue

### V71305

System infrastructure / Enclosures and control units / Connector block boxes  
/ Flush mounting

#### Flush mounting box 5M light blue

5-module flush mounting box, (Glow Wire 650 °C), for masonry walls, light blue

- Plenty of space of internal wiring
- Knockouts designed for the insertion of pipes with various cross-sections
- Rack for fixing the dividing screen (patented)
- Fixing lug of the support screws with zinc-plating treatment to prevent the thread from clogging during installation and favour screwing
- Accessories available: coupling joints to create multiple series of boxes



3 - Active

6 NR



V71305.AU - Flush mounting box 5M black






V71325 - Antimortar cover for flush-mount box 5M



V71550 - Dividing screen for flush-mount box yell



V71563 - Joint plate for flush-mount bixes yellow



3D

- **Class group:** Connection material (electrotechnical)
  - **Class:** Box/housing for built-in mounting in the wall/ceiling
  - **Mounting method:** Flush-mounted
  - **Shape:** Rectangular
  - **Construction type:** Device connection box (round/square)
  - **Model:** Other
  - **Provided with revolving ring:** No
  - **Couplable:** Yes
  - **Equipped with:** None
  - **Diameter:** 0 mm
  - **Length:** 59,00 mm
  - **Width:** 144,00 mm
  - **Depth:** 0,00 - 49,70 mm
  - **Inner depth:** 50,00 mm
  - **For number of electric fittings:** 5
  - **Mounting switching equipment:** Screwing
  - **With screws:** No
  - **Housing feed-through by break-out opening:** Yes
  - **Housing feed-through by seal membrane:** No
  - **Housing feed-through by nozzle:** No
  - **Housing feed-through by step membrane:** No
  - **For tube diameter:** 20/25 mm
  - **Pipe locking:** No
- 
- **Pipe locking optional:** No
  - **Inlet from the rear:** Yes
  - **Number of inlets:** 16
  - **Number of included spouts:** 0
  - **Material:** Plastic
  - **Halogen free:** Yes
  - **Surface protection:** Untreated
  - **Colour:** Blue
  - **Degree of protection (IP):** IP00
  - **Cover model:** None
  - **Transparent cover:** No
  - **Cover attachment:** Screwed
  - **Sealable:** No
  - **Circuit integrity:** None
  - **With screening:** No
  - **Air tight:** No
  - **Max. conductor cross section:** 0
  - **Number of poles of the clamp:** 0
  - **Clamp position fixed:** No
  - **Luminaire hook mounting:** No
  - **Nozzle:** None
  - **Special application:** None
- 
- 00. CE Marking - EU
  - 01. IMQ - Italy ([download](#))
  - 15. CCC - China ([download](#))
  - 43. UKCA mark - Great Britain
  - 96. Electrotechnical expert ([download](#))



8007352079465  
1 NR  
15.4x6.9x5 [cm]  
44.4 [g]



8007352079472  
6 NR  
15.4x6.9x30 [cm]  
274.73 [g]



8007352079489  
84 NR  
61.5x37.5x24.5 [cm]  
4,645.33 [g]

Vimar