



Connector block boxes: Flush mounting box 6-7M light blue


V71306

System infrastructure / Enclosures and control units / Connector block boxes
/ Flush mounting

Flush mounting box 6-7M light blue

6-7-module flush mounting box (GW 650 °C), for masonry walls, light blue

- Plenty of space of internal wiring
- Knockouts designed for the insertion of pipes with various cross-sections
- Rack for fixing the dividing screen (patented)
- Fixing lug of the support screws with zinc-plating treatment to prevent the thread from clogging during installation and favour screwing
- Accessories available: anti-mortar covers and coupling joints to create multiple series of boxes



3 - Active

6 NR



V71306.AU - Flush mounting box 6-7M black





V71326 - Antimortar cover for flush-mount box 6M



V71550 - Dividing screen for flush-mount box yell



V71563 - Joint plate for flush-mount boxes yellow



3D

- **Class group:** Connection material (electrotechnical)
- **Class:** Box/housing for built-in mounting in the wall/ceiling
- **Mounting method:** Flush-mounted
- **Shape:** Rectangular
- **Construction type:** Device connection box (round/square)
- **Model:** Other
- **Provided with revolving ring:** No
- **Couplable:** Yes
- **Equipped with:** None
- **Diameter:** 0 mm
- **Length:** 59,00 mm
- **Width:** 174,00 mm
- **Depth:** 0,00 - 49,60 mm
- **Inner depth:** 50,00 mm
- **For number of electric fittings:** 7
- **Mounting switching equipment:** Screwing
- **With screws:** No
- **Housing feed-through by break-out opening:** Yes
- **Housing feed-through by seal membrane:** No
- **Housing feed-through by nozzle:** No
- **Housing feed-through by step membrane:** No
- **For tube diameter:** 20/25 mm
- **Pipe locking:** No
- **Pipe locking optional:** No
- **Inlet from the rear:** Yes
- **Number of inlets:** 9
- **Number of included spouts:** 0
- **Material:** Plastic
- **Halogen free:** Yes
- **Surface protection:** Untreated
- **Colour:** Blue
- **Degree of protection (IP):** IP00
- **Cover model:** None
- **Transparent cover:** No
- **Cover attachment:** Screwed
- **Sealable:** No
- **Circuit integrity:** None
- **With screening:** No
- **Air tight:** No
- **Max. conductor cross section:** 0
- **Number of poles of the clamp:** 0
- **Clamp position fixed:** No
- **Luminaire hook mounting:** No
- **Nozzle:** None
- **Special application:** None
- 00. CE Marking - EU
- 01. IMQ - Italy ([download](#))
- 15. CCC - China ([download](#))
- 43. UKCA mark - Great Britain
- 96. Electrotechnical expert ([download](#))



8 0 0 7 3 5 2 0 7 9 5 2 6

8007352079526
1 NR
18.4x9x5 [cm]
60 [g]



8 0 0 7 3 5 2 0 7 9 5 3 3

8007352079533
6 NR
18.4x9x30 [cm]
367.27 [g]



8 0 0 7 3 5 2 0 7 9 5 4 0

8007352079540
48 NR
62x26x30 [cm]
3,547.33 [g]

Vimar