



Shared components: By-me home automation Light Gateway

01410

Smart systems&products / View smart system / Shared components / DIN devices

By-me home automation Light Gateway

IoT gateway for integration, configuration and local or remote maintenance of the By-me Plus home automation system, via IP/LAN network, Cloud and app for smartphone, tablet, PC or IP supervision touch screens, light version for max 32 By-me Plus devices, for DIN (60715 TH35) rail installation, occupies 4 17.5 mm modules



Product Status

3 - Active

Minimum order quantity

1 NR

Sheets, Manuals, Documentation

- [Multilanguage instructions sheet \(1403 kb\)](#)
- [Manuale piattaforma View IoT Smart Syst. \(9599 kb\)](#)
- [Manuel installateur app View Pro \(6937 kb\)](#)
- [Manual del instalador View Pro \(6921 kb\)](#)
- [Installer manual View IoT Smart Systems \(7021 kb\)](#)
- [Εγχειρίδιο τεχνικού εγκατάστασης \(7114 kb\)](#)
- [Installationsanleitung View Pro \(6907 kb\)](#)
- [Manuale installatore Sistema By-me Plus \(28663 kb\)](#)
- [Manuel installateur By-me Plus \(21386 kb\)](#)
- [Manual del instalador By-me Plus \(21431 kb\)](#)
- [Installer manual By-me Plus System \(21578 kb\)](#)
- [Συνδεδεμένο σύστημα smart automation \(21922 kb\)](#)
- [Installationsanleitung By-me Plus \(21445 kb\)](#)


Product Software

- [FW_GatewayLight-DomoticaBy-me_REL-01.17.003_20240402.zip](#)

Video

- [System synchronisation and delivery](#)
- [Integration with video door entry system](#)
- [Energy control](#)
- [Climate control](#)
- [Lights and roller shutters configuration](#)
- [System setup](#)


Drawings



Space view



Backside view



3D View

Technical data

- **Class group:** Installation bus systems
- **Class:** System interface/media gateway for bus system
- **Bus system KNX:** No
- **Bus system KNX-RF (Radio Frequent):** No
- **Bus system radio frequent:** No
- **Bus system LON:** No
- **Bus system Powernet:** No
- **Other bus systems:** Other
- **Radio frequent bidirectional:** No
- **Model:** Ethernet interface
- **Mounting method:** DRA (DIN-rail adapter)
- **Width in number of modular spacings:** 4
- **Demounting protection:** No
- **With LED indication:** Yes
- **Updateable:** Yes
- **Protocol:** TCP/IP
- **Provider dependent:** No
- **Visualization:** No
- **Web-Server:** Yes
- **Radio interface:** No
- **IR interface:** No
- **Degree of protection (IP):** IP40

Certifications

- 00. CE Marking - EU
- 37. Marking - Morocco
- 43. UKCA mark - Great Britain
- 46. UK PSTI compliance ([download](#))
- 92. RoHS UAE
- 99. WEEE Directive ([download](#))

Packaging



Code 8007352586123
Quantity 1 NR
Dim. 11.7x10.8x7.1 [cm]
Weight 174 [g]

Code 8007352590588
Quantity 60 NR
Dim. 59x38.5x30 [cm]
Weight 11,190 [g]

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported. Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed. For the terms of use of the information on the product info sheet see [Conditions of Use](#).